



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

July 1, 2019

Sherri Turner
Adult Learning Systems-Lower Michigan
Suite F
8170 Jackson Road
Ann Arbor, MI 48103

RE: License #: AS580360520
Vivian Home
2563 Vivian Road
Frenchtown, MI 48162

Dear Ms. Turner:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

A handwritten signature in blue ink that reads "Pandora Robinson". The signature is written in a cursive, flowing style.

Pandrea Robinson, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(313) 319-9682

611 W. OTTAWA • P.O. BOX 30664 • LANSING, MICHIGAN 48909
www.michigan.gov/lara • 517-335-1980

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AS580360520

Licensee Name: Adult Learning Systems-Lower Michigan

Licensee Address: Suite F
8170 Jackson Road
Ann Arbor, MI 48103

Licensee Telephone #: (734) 408-0112

Licensee/Licensee Designee: Sherri Turner

Administrator: Raymond Krzeminski

Name of Facility: Vivian Home

Facility Address: 2563 Vivian Road
Frenchtown, MI 48162

Facility Telephone #: (734) 384-3506

Original Issuance Date: 01/15/2015

Capacity: 6

Program Type: DEVELOPMENTALLY DISABLED
MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/28/2019

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 06/28/2019

Inspection Type: Interview and Observation Worksheet
 Combination Full Fire Safety

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 4

No. of others interviewed [redacted] Role: [redacted]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
Residents had eaten prior to inspection
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
No incident reports received required follow up
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was determined to be in substantial compliance with rules and requirements.

This facility was found to be in non-compliance with the following rules:

R 330.1803

Facility environment; fire safety.

(6) Evacuation assessments shall be conducted within 30 days after the admission of each new client and at least annually thereafter. The specialized program shall forward a copy of each completed assessment to the responsible agency and retain a copy in the home for inspection. A home that is assessed as having an evacuation difficulty index of "impractical" using appendix f of the life safety code of the national fire protection association shall have a period of 6 month from the date of the finding to either of the following:

(a) Improve the score to at least the "slow" category.

(b) Bring the home into compliance with the physical plant standards for "Impractical" homes contained in chapter 21 of the 1985 life safety code of the national fire protection association, which are adopted by reference in these rules and which may be obtained from the Department of Mental Health, Lewis Cass Building, Lansing, MI 48913, at cost, or from the National Fire Protection Association Library, Battermarch Park, P.O. Box 9101, Quincy, Massachusetts 02269-9101, 1-800-344-3555. A prepaid fee may be required by the national fire protection association for a copy of the chapter 21 standards. A price quote for copying of these pages may be obtained from the national fire protection association.

At the time of inspection, I observed that an evacuation assessment had not been completed within 30 days of Resident A's admission to the home. Resident A was admitted on 01/10/2018.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

A handwritten signature in blue ink that reads "Pandrea Robinson". The signature is written in a cursive, flowing style.

Pandrea Robinson
Licensing Consultant

07/01/19
Date