

GRETCHEN WHITMER GOVERNOR

## STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

ORLENE HAWKS DIRECTOR

March 1, 2022

Janette Thiel Macomb Family Services Inc 124 West Gates Romeo, MI 48065

RE: License #: AS500012027

Jewell Road

58093 Jewell Road Washington, MI 48094

Dear Ms. Thiel:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (248) 975-5053.

Sincerely,

Kristine Cilluffo, Licensing Consultant

Bureau of Community and Health Systems

4th Floor, Suite 4B

51111 Woodward Avenue

Kristine Cillylo

Pontiac, MI 48342

(248) 285-1703

# MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

#### I. IDENTIFYING INFORMATION

License #:	AS500012027
Licensee Name:	Macomb Family Services Inc
Licensee Address:	124 West Gates
	Romeo, MI 48065
	(
Licensee Telephone #:	(586) 246-1378
Licenses/Licenses Designed	Lawatta Thial
Licensee/Licensee Designee:	Janette Thiel
Administrator:	Janette Thiel
Administrator.	Janette mier
Name of Facility:	Jewell Road
riamo or raomty.	JOWOII FROM
Facility Address:	58093 Jewell Road
, , , , , , , , , , , , , , , , , , , ,	Washington, MI 48094
Facility Telephone #:	(586) 246-1378
Original Issuance Date:	06/28/1993
Capacity:	6
	DUNGIONI I VILIANDIO A DDED
Program Type:	PHYSICALLY HANDICAPPED
	DEVELOPMENTALLY DISABLED

#### **II. METHODS OF INSPECTION**

Date	e of On-site Inspection(	s):	02/24/20	)22
Date	e of Bureau of Fire Ser	vices Inspection if app	licable:	N/A
Date	e of Environmental/Hea	alth Inspection if applic	able:	N/A
Insp	ection Type:	☐ Interview and Ob☐ Combination	servation	
No.	of staff interviewed and of residents interviewe of others interviewed	d and/or observed	e Designe	2 4 ee
•	Medication pass / simulation Reviewed medication Medication(s) and medication	passing procedures w	ith home	
•	Yes ⋈ No ☐ If no, explain.  • Meal preparation / service observed? Yes ☐ No ⋈ If no, explain.  Inspection did not occur during a meal preparation.			
•	Fire safety equipment	and practices observe	ed? Yes[	⊠ No  If no, explain.
•	<ul> <li>E-scores reviewed? (Special Certification Only) Yes ⋈ No ⋈ N/A ⋈ If no, explain.</li> <li>Water temperatures checked? Yes ⋈ No ⋈ If no, explain.</li> </ul>			
•	Incident report follow-u	ıp? Yes⊠ No 🗌 If	no, expla	in.
•	Corrective action plan CAP date 03/16/2020- AS313(4), AS315(3), A Number of excluded e	· AS203(1), AS208(1)( AS403(1), AS403(5), A	f), AS210 AS410(1)	, AS <u>31</u> 0(3), AS312(4)(b),
•	Variances? Yes ☐ (p	lease explain) No 🔀	N/A □	

#### **III. DESCRIPTION OF FINDINGS & CONCLUSIONS**

This facility was found to be in non-compliance with the following rules:

R 400.14301	Resident admission criteria; resident assessment plan; emergency admission; resident care agreement; physician's instructions; health care appraisal.
	(10) At the time of the resident's admission to the home, a licensee shall require that the resident or the resident's designated representative provide a written health care appraisal that is completed within the 90-day period before the resident's admission to the home. A written health care appraisal shall be completed at least annually. If a written health care appraisal is not available at the time of an emergency admission, a licensee shall require that the appraisal be obtained not later than 30 days after admission. A department health care appraisal form shall be used unless prior authorization for a substitute form has been granted, in writing, by the department.
Resident A did r	not have a health care appraisal form completed.
R 400.14306	Use of assistive devices.
	(3) Therapeutic supports shall be authorized, in writing, by a licensed physician. The authorization shall state the reason for the therapeutic support and the term of the authorization.
Resident B did r gait belt.	not have physician authorization in file for use of shower chair and
R 400.14315	Handling of resident funds and valuables.

Resident A and Resident B did not have correct accounts checked on Funds Part 1 forms. Resident A did not have AFC payment selected and form incorrectly indicated that the licensee managed his cash. Resident B's form did not have AFC payment selected and incorrectly listed a savings instead of a checking account. On 02/25/2022, the licensee provided corrected Funds Part 1 forms.

### REPEAT VIOLATION ESTABLISHED. LSR dated 02/28/2020, CAP dated 03/16/2020

R 400.14401	Environmental health.
	(4) All garbage and rubbish that contains food wastes shall be kept in leakproof, nonabsorbent containers. The containers shall be kept covered with tight-fitting lids and shall be removed from the home daily and from the premises at least weekly.

During the onsite inspection, I observed that the kitchen garbage can did not have a lid. On 02/25/2022, licensee provided verification that a new garbage can was purchased.

R 400.14402	Food service.
	(3) All perishable food shall be stored at temperatures that will protect against spoilage. All potentially hazardous food shall be kept at safe temperatures. This means that all cold foods are to be kept cold, 40 degrees Fahrenheit or below, and that all hot foods are to be kept hot, 140 degrees Fahrenheit or above, except during periods that are necessary for preparation and service. Refrigerators and freezers shall be equipped with approved thermometers.

During the onsite inspection, I observed that the freezer did not have a thermometer. On 02/25/2022, the licensee provided verification that a thermometer was purchased.

R 400.14403	Maintenance of premises.
	(5) Floors, wall, and ceilings shall be finished so as to be easily cleanable and shall be kept clean and in good repair.

During the onsite inspection, I observed small cracks in tile in Bathroom #1 and Bathroom #2.

## REPEAT VIOLATION ESTABLISHED. LSR dated 02/28/2020, CAP dated 03/16/2020

#### IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

Kristine Cillufo	03/01/2022
Licensing Consultant	Date