



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

July 26, 2022

Thomas & Audrey Youngblood  
5152 Riverview Dr. N.  
Parchment, MI 49004

RE: License #: AF390273822  
**Homestead South**  
**5152 Riverview Drive, N.**  
**Parchment, MI 49004**

Dear Thomas & Audrey Youngblood:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- You are to submit documentation of compliance.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Ondrea Johnson".

Ondrea Johnson, Licensing Consultant  
Bureau of Community and Health Systems  
427 East Alcott  
Kalamazoo, MI 49001

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	AF390273822
<b>Licensee Name:</b>	Thomas & Audrey Youngblood
<b>Licensee Address:</b>	5152 Riverview Dr. N. Parchment, MI 49004
<b>Licensee Telephone #:</b>	(269) 344-5292
<b>Licensee Designee:</b>	N/A
<b>Administrator:</b>	N/A
<b>Name of Facility:</b>	Homestead South
<b>Facility Address:</b>	5152 Riverview Drive, N. Parchment, MI 49004
<b>Facility Telephone #:</b>	(269) 290-8603
<b>Original Issuance Date:</b>	09/01/2005
<b>Capacity:</b>	6
<b>Program Type:</b>	DEVELOPMENTALLY DISABLED

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 7/19/2022

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 1/24/22

Inspection Type:  Interview and Observation  Worksheet  
 Combination  Full Fire Safety

No. of staff interviewed and/or observed 1  
No. of residents interviewed and/or observed 0  
No. of others interviewed 0 Role: 0

- Medication pass / simulated pass observed? Yes  No  If no, explain.
- Medication(s) and medication record(s) reviewed? Yes  No  If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes  No  If no, explain.
- Meal preparation / service observed? Yes  No  If no, explain.
- Fire drills reviewed? Yes  No  If no, explain.
- Fire safety equipment and practices observed? Yes  No  If no, explain.
- E-scores reviewed? (Special Certification Only) Yes  No  N/A   
If no, explain.
- Water temperatures checked? Yes  No  If no, explain.
- Incident report follow-up? Yes  No  If no, explain.
- Corrective action plan compliance verified? Yes  CAP date/s and rule/s:  
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes  (please explain) No  N/A

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

The facility is in non-compliance with the following applicable rules and statutes.

**R 400.1426                      Maintenance of premises**

**(4) Floors, interior walls, and ceilings shall be sound, in good repair, and maintained in a clean condition.**

FINDINGS: Floor in resident bedroom is not in good repair.

**R 400.1405                      Health of a licensee, responsible person, and member of the household.**

**(3) A licensee shall provide the department with written evidence that he or she and each responsible person in the home is free from communicable tuberculosis. Verification shall be within the 3-year period before employment and verification shall occur every 3 years thereafter.**

FINDINGS: Licensee does not have a current TB-test on file.

A corrective action plan was requested and approved on 07/19/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

### IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



Ondrea Johnson  
Licensing Consultant

7/26/2022  
Date