



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 19, 2022

Eliyahu Gabay
True Care Living
565 General Ave.
Springfield, MI 49037

RE: License #: AH130405658
True Care Living
565 General Ave.
Springfield, MI 49037

Dear Mr. Gabay:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective action plan and an approved BFS rating, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result. Please review the enclosed documentation for accuracy and contact me with any questions. In the event I am not available, and you need to speak to someone immediately, please feel free to contact the local office at (616) 356-0100.

Sincerely,

Julie Viviano, Licensing Staff
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
Cell (616) 204-4300

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AH130405658
Licensee Name:	True Care Living Limited Liability Corporation
Licensee Address:	16135 Stratford Drive Southfield, MI 48075
Licensee Telephone #:	(818) 288-0903
Authorized Representative/Administrator:	Eliyahu Gabay
Name of Facility:	True Care Living
Facility Address:	565 General Ave. Springfield, MI 49037
Facility Telephone #:	(269) 968-3365
Original Issuance Date:	03/25/2021
Capacity:	91
Program Type:	AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 9/15/2022

Date of Bureau of Fire Services Inspection if applicable: BFS – C 10/15/22

Inspection Type: Interview and Observation Worksheet
 Combination

Date of Exit Conference: 9/15/2022

No. of staff interviewed and/or observed 11

No. of residents interviewed and/or observed 21

No. of others interviewed 0 Role N/A

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication records(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain. Surety bond verified for funds held in trust at facility.
- Meal preparation / service observed? Yes No If no, explain.
- Fire drills reviewed? Yes No If no, explain.
Reviewed disaster plans along with interviewed staff on policies and procedures.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes IR date/s: N/A
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
2021A1028038 9/17/21; 2022A102842 5/25/22; 2022A1028045 5/25/22;
2022A1028047 8/31/22.
- Number of excluded employees followed up? 0 N/A


III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 325.1923	Employee's health.
	(2) A home shall provide initial tuberculosis screening at no cost for its employees. New employees shall be screened within 10 days of hire and before occupational exposure.
ANALYSIS:	Review of employee TB records revealed Employee A's hire date was 2/21/2022, but the TB screen was not administered until 3/8/2022. This is out of compliance in accordance to the 10 days of hire and before occupational exposure screening requirement.
CONCLUSION:	VIOLATION ESTABLISHED

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan and an approved BFS rating (current rating is C and expires 10/15/22), renewal of the license is recommended.



9/19/2022

Date

Licensing Consultant