



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

August 30, 2022

Shahid Imran  
Hampton Manor of Kalamazoo LLC  
7560 River Rd.  
Flushing, MI 48433

RE: License #: AH390405806  
Hampton Manor of Kalamazoo  
210 N. 9th Street  
Kalamazoo, MI 49009

Dear Mr. Imran:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result. Please review the enclosed documentation for accuracy and contact me with any questions. In the event I am not available, and you need to speak to someone immediately, please feel free to contact the local office at (616) 356-0100.

Sincerely,

Julie Viviano, Licensing Staff  
Bureau of Community and Health Systems  
Unit 13, 7th Floor  
350 Ottawa, N.W.  
Grand Rapids, MI 49503  
Cell (616) 204-4300

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	AH390405806
<b>Licensee Name:</b>	Hampton Manor of Kalamazoo LLC
<b>Licensee Address:</b>	7560 River Rd. Flushing, MI 48433
<b>Licensee Telephone #:</b>	(734) 673-3130
<b>Authorized Representative/Administrator:</b>	Shahid Imran
<b>Name of Facility:</b>	Hampton Manor of Kalamazoo
<b>Facility Address:</b>	210 N. 9th Street Kalamazoo, MI 49009
<b>Facility Telephone #:</b>	(734) 673-3130
<b>Original Issuance Date:</b>	03/02/2022
<b>Capacity:</b>	99
<b>Program Type:</b>	AGED ALZHEIMERS

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 8/23/2022

Date of Bureau of Fire Services Inspection if applicable: BFS – A 2/11/2022

Inspection Type: ☐ Interview and Observation ☒ Worksheet  
☐ Combination

Date of Exit Conference: 8/23/2022

No. of staff interviewed and/or observed 11

No. of residents interviewed and/or observed 15

No. of others interviewed 0 Role N/A

- Medication pass / simulated pass observed? Yes ☒ No ☐ If no, explain.
- Medication(s) and medication records(s) reviewed? Yes ☒ No ☐ If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes ☐ No ☒ If no, explain. The home does not hold resident funds in trust.
- Meal preparation / service observed? Yes ☒ No ☐ If no, explain.
- Fire drills reviewed? Yes ☐ No ☒ If no, explain.  
Reviewed disaster plans along with interviewed staff on policies and procedures.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
- Incident report follow-up? Yes ☐ IR date/s: N/A ☒
- Corrective action plan compliance verified? Yes ☐ CAP date/s and rule/s: N/A
- Number of excluded employees followed up? 0 N/A ☒


### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

APPLICABLE RULE	
R 325.1923	Employee's health
	(2) A home shall provide annual tuberculosis screening at no cost for its employees. New employees shall be screened within 10 days of hire and before occupational exposure. The screening shall consist of intradermal skin test, chest x-ray, or other methods recommended by the local health authority.
ANALYSIS:	Review of employee files revealed no evidence that Employee A received a tuberculosis screen within 10 days of hire or before occupational exposure.
CONCLUSION:	VIOLATION ESTABLISHED

### IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.



8/30/2022

\_\_\_\_\_  
Date

Licensing Consultant