

GRETCHEN WHITMER GOVERNOR STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

ORLENE HAWKS DIRECTOR

December 20, 2022

Guy Geller TV-MICH, LP 4500 Dobry Drive Sterling Heights, MI 48314

> RE: License #: AH500392805 Town Village Sterling Hgts - The Gem Memory Care 4500 Dobry Drive Sterling Heights, MI 48314

Dear Mr. Geller:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Your license is renewed, effective 12/15/2022-12/14/2023. It is valid only at your present address and is nontransferable.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please feel free to contact the local office at (517) 284-9730.

Sincerely,

junder J. Huard

Brender Howard, Licensing Staff Bureau of Community and Health Systems 611 W. Ottawa Street P.O. Box 30664 Lansing, MI 48909 (313) 268-1788

enclosure

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

I. IDENTIFYING INFORMATION

License #:	AH500392805
Licensee Name:	TV-MICH, LP
Licensee Address:	4500 Dobry Drive Sterling Heights, MI 48314
Licensee Telephone #:	(586) 200-4741
Authorized Representative:	Guy Geller
Administrator:	Sheri Sepanak
Name of Facility:	Town Village Sterling Hgts - The Gem Memory Care
Facility Address:	4500 Dobry Drive Sterling Heights, MI 48314
Facility Telephone #:	(586) 200-4741
Original Issuance Date:	06/15/2018
Capacity:	33
Program Type:	AGED ALZHEIMERS

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 12/16/2022

Date of Bureau of Fire Services Inspection if applicable: 3/10/2022

Inspection Type: Interview and Observation Worksheet

Date of Exit Conference: 12/16/2022

No. of staff interviewed and/or observed8No. of residents interviewed and/or observed21No. of others interviewed1 Role Resident's family member

- Medication pass / simulated pass observed? Yes 🛛 No 🗌 If no, explain.
- Medication(s) and medication records(s) reviewed? Yes No If no, explain.
- Meal preparation / service observed? Yes 🖂 No 🗌 If no, explain.
- Water temperatures checked? Yes 🛛 No 🗌 If no, explain.
- Incident report follow-up? Yes ⊠ IR date/s: 9/26/2022 N/A □
- Corrective action plan compliance verified? Yes ⊠ CAP date/s and rule/s: 4/22/2022 2022A1019047 1924(3), 1922 (5)
- Number of excluded employees followed up? N/A \boxtimes

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

Renewal of the license is recommended.

render J. Hurd

12/20/2022

Date

Licensing Consultant