

GRETCHEN WHITMER GOVERNOR STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

ORLENE HAWKS DIRECTOR

November 22, 2022

Amy Borzymowski Brookdale W. Eisenhower Pkwy 750 W. Eisenhower Pkwy. Ann Arbor, MI 48103

> RE: License #: AH810236930 Brookdale W. Eisenhower Pkwy 750 W. Eisenhower Pkwy. Ann Arbor, MI 48103

Dear Ms. Borzymowski:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result. Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please feel free to contact the local office at (517) 241-1970.

Sincerely,

Jossica - Rogers

Jessica Rogers, Licensing Staff Bureau of Community and Health Systems 611 W. Ottawa Street P.O. Box 30664 Lansing, MI 48909 (517) 285-7433 enclosure

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

I. IDENTIFYING INFORMATION

License #:	AH810236930
Licensee Name:	Brookdale Senior Living Communities, Inc.
Licensee Address:	Suite 2300 6737 West Washington St. Milwaukee, WI 53214
Licensee Telephone #:	(414) 918-5000
Authorized Representative:	Amy Borzymowski
Administrator/Licensee Designee:	Andrea Sturm
Name of Facility:	Brookdale W. Eisenhower Pkwy
Facility Address:	750 W. Eisenhower Pkwy. Ann Arbor, MI 48103
Facility Telephone #:	(734) 213-1708
Original Issuance Date:	06/01/1999
Capacity:	36
Program Type:	AGED ALZHEIMERS

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/22/2022

Date of Bureau of Fire Services Inspection if applicable: 1/6/2022

Inspection Type: Interview and Observation Worksheet

Date of Exit Conference: 11/23/2022

No. of staff interviewed and/or observed8No. of residents interviewed and/or observed18No. of others interviewed1 Role a resident's spouse

- Medication pass / simulated pass observed? Yes \boxtimes No \square If no, explain.
- Medication(s) and medication records(s) reviewed? Yes ⊠ No □ If no, explain.
- Resident funds and associated documents reviewed for at least one resident?
 Yes No X If no, explain. No resident funds held in trust.
- Meal preparation / service observed? Yes 🖂 No 🗌 If no, explain.
- Fire drills reviewed? Yes No X If no, explain.
 Bureau of Fire Services reviews fire drills. Disaster plan reviewed and staff interviewed.
- Water temperatures checked? Yes \boxtimes No \square If no, explain.
- Incident report follow-up? Yes □ IR date/s: N/A ⊠
- Corrective action plan compliance verified? Yes ⊠ CAP date/s and rule/s: Renewal LSR dated 12/7/2020 to CAP dated 12/18/2020: R 325.1979(3)
- Number of excluded employees followed up?
 N/A X

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 325.1931 Employees: general provisions.

(3) The home shall designate 1 person on each shift to be supervisor of resident care during that shift. The supervisor of resident care shall be fully dressed, awake, and on the premises when on duty.

Administrator Andrea Sturm stated there were two shift supervisors on duty for the morning and afternoon shifts. Review of the October and November 2022 staff schedule read consistent with Ms. Sturm's statements.

VIOLATION ESTABLISHED

R 325.1964 Interiors.

(9) Ventilation shall be provided throughout the facility in the following manner:

(b) Bathing rooms, beauty shops, toilet rooms, soiled linen rooms, janitor closets, and trash holding rooms shall be provided with a minimum of 10 air changes per hour of continuously operated exhaust ventilation that provide discernable air flow into each of these rooms.

Inspections of resident rooms B3 and B6, as well as the Birch Spa room and beauty salon, lacked adequate and discernable air flow.

VIOLATION ESTABLISHED

R 325.1976 Kitchen and dietary.

(6) Food and drink used in the home shall be clean and wholesome and shall be manufactured, handled, stored, prepared, transported, and served so as to be safe for human consumption.

Inspection of the facility kitchen revealed the refrigerator contained items that were not dated including but not limited to French dressing, Italian dressing, sweet pickle relish, ketchup, and mustard.

VIOLATION ESTABLISHED

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

Sogers lessica of

11/23/2022

Licensing Consultant

Date