



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 26, 2023

Michael Clark
Northern Springs Management Co.
6361 Myers Rd. NE
Kalkaska, MI 49646

RE: License #: AM400336755
Safe Haven AFC
6361 Myers Rd NE
Kalkaska, MI 49646

Dear Mr. Clark:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- You are to submit documentation of compliance. Please email a copy of the staff Tb test results once completed.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,

A handwritten signature in red ink that reads "Bruce A. Messer".

Bruce A. Messer, Licensing Consultant
Bureau of Community and Health Systems
701 S. Elmwood
Traverse City, MI 49684
(231) 342-4939

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AM400336755

Licensee Name: Northern Springs Management Co.

Licensee Address: 6361 Myers Rd. NE
Kalkaska, MI 49646

Licensee Telephone #: (231) 632-7565

Licensee Designee: Michael Clark

Administrator: Michael Clark

Name of Facility: Safe Haven AFC

Facility Address: 6361 Myers Rd NE
Kalkaska, MI 49646

Facility Telephone #: (231) 258-1153

Original Issuance Date: 11/20/2012

Capacity: 12

Program Type: PHYSICALLY HANDICAPPED
DEVELOPMENTALLY DISABLED
MENTALLY ILL
AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/25/2023

Date of Bureau of Fire Services Inspection if applicable: 03/23/2023

Date of Health Authority Inspection if applicable: 01/17/2023

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 3

No. of others interviewed 0 Role: [redacted]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
R312 CAP dated 9/22/2022 N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14205

Health of a licensee, direct care staff, administrator, other employees, those volunteers under the direction of the licensee, and members of the household.

(5) A licensee shall obtain written evidence, which shall be available for department review, that each direct care staff, other employees, and members of the household have been tested for communicable tuberculosis and that if the disease is present, appropriate precautions shall be taken as required by state law. Current testing shall be obtained before an individual's employment, assumption of duties, or occupancy in the home. The results of subsequent testing shall be verified every 3 years thereafter or more frequently if necessary.

At the time of the on-site inspection, it was noted that the Licensee did not have verification, on file for one staff member, a negative Tb test result which was completed within the past three years.

A corrective action plan was requested and approved on 04/25/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



April 26, 2023

Bruce A. Messer
Licensing Consultant

Date