



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 14, 2023

LaToshia Baruti
Vintage Specialized Services LLC
P.O. Box 541
Leslie, MI 49251

RE: License #: AS380410974
Creekside Residential Care- West
11260 Dixon Rd
Rives Junction, MI 49277

Dear Ms. Baruti:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan: You are to submit documentation of compliance (proof of fire drill records for the second quarter of 2023) **by July 5, 2023.**

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

A handwritten signature in black ink that reads "Mahtina Rubritius".

Mahtina Rubritius, Licensing Consultant
Bureau of Community and Health Systems
3026 W. Grand Blvd., Ste. #9-100
Detroit, MI 48202
(517) 262-8604

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AS380410974

Licensee Name: Vintage Specialized Services LLC

Licensee Address: 207 E. Bellevue St.
Leslie, MI 49521

Licensee Telephone #: (313) 567-0709

Licensee/Licensee Designee: LaToshia Baruti

Administrator: LaToshia Baruti

Name of Facility: Creekside Residential Care- West

Facility Address: 11260 Dixon Rd
Rives Junction, MI 49277

Facility Telephone #: (989) 318-4304

Original Issuance Date: 10/17/2022

Capacity: 4

Program Type: PHYSICALLY HANDICAPPED
DEVELOPMENTALLY DISABLED
MENTALLY ILL
AGED
TRAUMATICALLY BRAIN INJURED
ALZHEIMERS

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/14/2023

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed 1

No. of residents interviewed and/or observed 0

No. of others interviewed 0 Role: [REDACTED]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain. The licensee reported to be working to address a previous violation regarding the Resident Funds Part II forms; thus, those documents were not on-site and available for review.
- Meal preparation / service observed? Yes No If no, explain. The on-site inspection was not concurrent with the mealtimes.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s: MCL 400.734b (4), R 330.1803 (6), R 400. 14208, R 400.14310 (3), R 400. 14316 (1) and R 400. 14507 (2). N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14318 Emergency preparedness; evacuation plan; emergency transportation.

(5) A licensee shall practice emergency and evacuation procedures during daytime, evening, and sleeping hours at least once per quarter. A record of the practices shall be maintained and be available for department review.

- There were no fire drills conducted during the evening and sleeping hours in the 1st quarter of 2023.
- **THIS IS A REPEAT VIOLATION** (Interim Inspection-3/7/2023).

A corrective action plan was requested and approved on 04/14/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license and the special certification is recommended.

Mahtina Rubritius

04/14/2023

Mahtina Rubritius
Licensing Consultant

Date