



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 2, 2023

Michael Farrell
Wellspring Assisted Living LLC
45989 Greenridge Dr.
Northville, MI 48167

RE: License #: AS820362904
Southworth Elder Care
9476 Southworth Ave.
Plymouth Twp, MI 48170

Dear Mr./Ms. Farrell:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Your license is renewed. It is valid only at your present address and is nontransferable.

OR

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Your Adult Foster Care small group home license are renewed. The license is valid only at your present address and is nontransferable.

OR

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan: *(choose one or more)*

- You are to submit documentation of compliance.
- You are to submit a Statement of Correction.
- An on-site inspection will be conducted.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

OR

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

OR

A six-month provisional license is recommended. If you do not contest the issuance of a provisional license, you must indicate so in writing; this may be included in your corrective action plan or in a separate document. If you contest the issuance of a provisional license, you must notify this office in writing and an administrative hearing will be scheduled. Even if you contest the issuance of a provisional license, you must still submit an acceptable corrective action plan within 15 days.

OR

Attached is the Renewal Licensing Study Report for the facility referenced above. The study has determined substantial violations of applicable licensing statutes and administrative rules. Therefore, refusal to renew the license is recommended. You will be notified in writing of the Department's intention and your options for resolution of this matter.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

Jeffrey J. Bozsik, Licensing Consultant
Bureau of Community and Health Systems
22 Center Street
Ypsilanti, MI 48198
(734) 417-4277

611 W. OTTAWA • P.O. BOX 30664 • LANSING, MICHIGAN 48909
www.michigan.gov/lara • 517-335-1980

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AS820362904

Licensee Name: Wellspring Assisted Living LLC

Licensee Address: 9476 Southworth Ave.
Plymouth, MI 48170

Licensee Telephone #:

Licensee/Licensee Designee: Michael Farrell, Designee

Administrator:

Name of Facility: Southworth Elder Care

Facility Address: 9476 Southworth Ave.
Plymouth Twp, MI 48170

Facility Telephone #: (734) 589-3225

Original Issuance Date: 02/09/2015

Capacity: 6

Program Type: AGED
ALZHEIMERS

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/25/2023

Date of Bureau of Fire Services Inspection if applicable:

Date of Health Authority Inspection if applicable:

No. of staff interviewed and/or observed [redacted]
No. of residents interviewed and/or observed [redacted]
No. of others interviewed [redacted] Role: [redacted]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s: N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was determined to be in substantial compliance with rules and requirements. *(remove if this does not apply)*

This facility was found to be in non-compliance with the following rules:

R 400.14511 Flame-producing equipment; enclosures.

(2) Heating plants and other flame-producing equipment located on the same level as the residents shall be enclosed in a room that is constructed of material which has a 1-hour-fire resistance rating, and the door shall be made of 1 3/4-inch solid core wood. The door shall be hung in a fully stopped wood or steel frame and shall be equipped with an automatic self-closing device and positive-latching hardware.

A corrective action plan was requested and approved on 08/02/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a 2 year regular adult foster care license.

OR

An acceptable corrective action plan has been received. Renewal of the license is recommended.

OR

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

OR

Contingent upon receipt of an acceptable corrective action plan, issuance of a provisional license is recommended.

OR

Refusal to renew the license is recommended.

Jeffrey J. Bozsik
Licensing Consultant

Date