



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
ACTING DIRECTOR

September 6, 2023

Theresa Bursley
AH Jenison Subtenant LLC
6755 Telegraph Rd Ste 330
Bloomfield Hills, MI 48301

RE: License #: AL700397750
AHSL Jenison Cherrywood
798 Oak Crest Lane
Jenison, MI 49428

Dear Mrs. Bursley:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violation cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with the rule will be achieved.
- Who is directly responsible for implementing the corrective action for the violation.
- Specific dates for the violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,

Anthony Mullins

Anthony Mullins, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503

611 W. OTTAWA • P.O. BOX 30664 • LANSING, MICHIGAN 48909
www.michigan.gov/lara • 517-335-1980

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AL700397750
Licensee Name:	AH Jenison Subtenant LLC
Licensee Address:	One SeaGate, Suite 1500 Toledo, OH 43604
Licensee Telephone #:	(248) 203-1800
Licensee/Licensee Designee:	Theresa Bursley
Administrator:	Theresa Bursley
Name of Facility:	AHSL Jenison Cherrywood
Facility Address:	798 Oak Crest Lane Jenison, MI 49428
Facility Telephone #:	(616) 457-3576
Original Issuance Date:	03/12/2019
Capacity:	20
Program Type:	PHYSICALLY HANDICAPPED AGED ALZHEIMERS

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/06/2023

Date of Bureau of Fire Services Inspection if applicable: 12/16/2022

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 7

No. of others interviewed 2 Role: Designee and Wellness Dir

- Medication pass / simulated pass observed? Yes ☐ No ☒ If no, explain.
No meds scheduled during inspection.
- Medication(s) and medication record(s) reviewed? Yes ☒ No ☐ If no, explain.
- Resident funds and associated documents reviewed for at least one resident?
Yes ☒ No ☐ If no, explain.
- Meal preparation / service observed? Yes ☒ No ☐ If no, explain.
- Fire drills reviewed? Yes ☒ No ☐ If no, explain.
- Fire safety equipment and practices observed? Yes ☒ No ☐ If no, explain.
- E-scores reviewed? (Special Certification Only) Yes ☐ No ☐ N/A ☒
If no, explain.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
- Incident report follow-up? Yes ☐ No ☒ If no, explain.
N/A
- Corrective action plan compliance verified? Yes ☐ CAP date/s and rule/s:
N/A ☒
- Number of excluded employees followed-up? N/A ☒
- Variances? Yes ☐ (please explain) No ☐ N/A ☒

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.15312

Resident medications.

(2) Medication shall be given, taken, or applied pursuant to label instructions.

Resident A did not receive his Nystop 100,000 unit/GM powder on 8/22/23 due to staff indicating that the medication needed to be ordered.

Resident B did not receive her Hydrocortisone 0.5% cream on 8/5/23 due to staff not being able to locate it in the med drawer. On 8/9/23, Resident B received her Hydrocortisone 0.5% cream at 1:30 pm as opposed to 9:00 am as scheduled.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

Anthony Mullins

09/06/2023

Anthony Mullins
Licensing Consultant

Date