



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

February 20, 2025

Azeezat Sarumi
816 Beth Ave.
Parchment, MI 49004

RE: License #: AF390393049
Zeezah Care
816 Beth Ave.
Parchment, MI 49004

Dear Ms. Sarumi:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- You are to submit documentation of compliance.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Ondrea Johnson".

Ondrea Johnson, Licensing Consultant
Bureau of Community and Health Systems

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

| | |
|--------------------------------|--|
| License #: | AF390393049 |
| Licensee Name: | Azeezat Sarumi |
| Licensee Address: | 816 Beth Ave. Parchment, MI 49004 |
| Licensee Telephone #: | (347) 994-7435 |
| Licensee Designee: | N/A |
| Administrator: | N/A |
| Name of Facility: | Zeezah Care |
| Facility Address: | 816 Beth Ave. Parchment, MI 49004 |
| Facility Telephone #: | (347) 994-7435 |
| Original Issuance Date: | 08/24/2018 |
| Capacity: | 6 |
| Program Type: | DEVELOPMENTALLY DISABLED MENTALLY ILL |

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 02/20/2025

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 2

No. of others interviewed 0 Role: 0

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.1405 **Health of a licensee, responsible person, and member of the household.**

(3) A licensee shall provide the department with written evidence that he or she and each responsible person in the home is free from communicable tuberculosis. Verification shall be within the 3-year period before employment and verification shall occur every 3 years thereafter.

FINDINGS: Licensee does not have a current TB test on file for the department to review.

R 400.1438 **Emergency preparedness; evacuation plan; emergency transportation.**

(4) Fire drills shall be conducted 4 times a year. Two of the 4 required fire drills shall be conducted during sleeping hours. A record of the fire drills shall be incorporated with the evacuation plan.

FINDINGS: No practice drills documented for the department to review.

A corrective action plan was requested and approved on 02/20/2025. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



Ondrea Johnson
Licensing Consultant

2/20/2025
Date