



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

March 24, 2025

Almaz Befant
El Shaddai Homes, LLC
5980 Petros Dr
West Bloomfield, MI 48324

RE: License #: AS630417589
El Shaddai Homes LLC
21008 Robinwood St.
Farmington, MI 48336

Dear Ms. Befant:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee and a date.

A six-month provisional license is recommended. If you do not contest the issuance of a provisional license, you must indicate so in writing; this may be included in your corrective action plan or in a separate document. If you contest the issuance of a provisional license, you must notify this office in writing and an administrative hearing will be scheduled. Even if you contest the issuance of a provisional license, you must still submit an acceptable corrective action plan within 15 days.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (248) 975-5053.

Sincerely,

A handwritten signature in cursive script that reads "Johnna Cade".

Johnna Cade, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(248) 302-2409

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AS630417589
Licensee Name:	El Shaddai Homes, LLC
Licensee Address:	5980 Petros Dr West Bloomfield, MI 48324
Licensee Telephone #:	(313) 443-1367
Licensee Designee:	Almaz Befant
Administrator:	Almaz Befant
Name of Facility:	El Shaddai Homes LLC
Facility Address:	21008 Robinwood St. Farmington, MI 48336
Facility Telephone #:	(248) 482-7121
Original Issuance Date:	09/24/2024
Capacity:	6
Program Type:	DEVELOPMENTALLY DISABLED TRAUMATICALLY BRAIN INJURED AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/24/2025

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed 1
No. of residents interviewed and/or observed 0
No. of others interviewed 0 Role:

- Medication pass / simulated pass observed? Yes ☐ No ☒ If no, explain.
The facility does not have any residents or staff at this time therefore, there are no medications on site.
- Medication(s) and medication record(s) reviewed? Yes ☐ No ☒ If no, explain.
The facility does not have any residents or staff at this time therefore, there are no medications on site.
- Resident funds and associated documents reviewed for at least one resident?
Yes ☐ No ☒ If no, explain. The facility does not have any residents at this time therefore, there are no funds on site
- Meal preparation / service observed? Yes ☐ No ☒ If no, explain.
The facility does not have any residents at this time therefore, there are no funds on site
 - Fire drills reviewed? Yes ☐ No ☒ If no, explain.
The facility does not have any residents at this time therefore, there are no funds on site
- Fire safety equipment and practices observed? Yes ☒ No ☐ If no, explain.
- E-scores reviewed? (Special Certification Only) Yes ☐ No ☐ N/A ☒
If no, explain.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
- Incident report follow-up? Yes ☐ No ☒ If no, explain.
There are no incidents to follow up on
- Corrective action plan compliance verified? Yes ☐ CAP date/s and rule/s:
N/A ☒
- Number of excluded employees followed-up? N/A ☒
- Variances? Yes ☐ (please explain) No ☒ N/A ☐

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:	
MCL 400.713	License required; application; forms; investigation; on-site evaluation; issuance or renewal of license; disclosures; maximum number of persons; stating type of specialized program; issuance of license to specific person at specific location; transferability of license; sale of facility; notice; items of noncompliance; refusal by department to issue or renew license; conditions; unlicensed facility; violation as misdemeanor; penalty; receipt of completed application; issuance of license within certain time period; inspections; report; criminal history and records check; storage of fingerprints in automated fingerprint identification system database; convictions; "completed application" defined.
	(3) Before issuing or renewing a license, the department shall investigate the activities and standards of care of the applicant and shall make an on-site evaluation of the facility. On-site inspections conducted in response to the application may be conducted without prior notice to the applicant. On-site inspections conducted for renewing a license may be conducted within 12 months before the expiration date of the current license without impact on the license renewal date or the license fee. Subject to subsections (9), (10), and (11), the department shall issue or renew a license if satisfied as to all of the following: (b) The applicant's compliance with this act and rules promulgated under this act.
The facility has not had residents in care since the issuance of the original license effective 09/24/2024 - 03/23/2025.	

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, issuance of a provisional license is recommended.



03/24/2025

Johnna Cade
Licensing Consultant

Date