

GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

MARLON I. BROWN, DPA DIRECTOR

May 13, 2025

Thomas Ostrom
Delta Assisted Living LLC
101 N. Wacker Drive
Chicago, IL 60606

RE: License: AH230418409 The Courtyard at Delta 350 S. Marketplace Blvd. Delta Twp., MI 48917

Dear Thomas Ostrom:

Attached is the Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective action plan, a regular will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result. Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please feel free to contact the local office at (517) 284-9730.

Sincerely,

KinveyHood

Kimberly Horst, Licensing Staff Bureau of Community and Health Systems 611 W. Ottawa Street Lansing, MI 48909 enclosue

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

I. IDENTIFYING INFORMATION

License #:	AH230418409
Name:	Delta Assisted Living LLC
	104 N. W. J. B.:
Address:	101 N. Wacker Drive
	Chicago, IL 60606
Telephone #:	(563) 258-0409
Authorized Representative:	Thomas Ostrom
Administrator:	Joseph Marlow
Name of Facility:	The Courtyard at Delta
Facility Address:	350 S. Marketplace Blvd.
	Delta Twp., MI 48917
Facility Telephone #:	(563) 258-0409
Original Issuance Date:	01/14/2025
Capacity:	85
Program Type:	ALZHEIMERS AGED

II. METHODS OF INSPECTION

Date of On-site Inspection	n(s): 05/13/2025		
Date of Bureau of Fire Se	rvices Inspection if applicable:		
Inspection Type:	☐Interview and Observation ☐Combination	⊠Worksheet	
Date of Exit Conference:	05/13/2025		
No. of staff interviewed an No. of residents interviewed No. of others interviewed	ed and/or observed	5 4	
Medication pass / sim	nulated pass observed? Yes 🖂	No 🗌 If no, explain.	
 Medication(s) and medication records(s) reviewed? Yes ⋈ No ☐ If no, explain. Resident funds and associated documents reviewed for at least one resident? Yes ☐ No ⋈ If no, explain. Resident funds not kept in trust. Meal preparation / service observed? Yes ⋈ No ☐ If no, explain. 			
 Fire drills reviewed? Yes ☐ No ☒ If no, explain. Diaster plans reviewed and staff interviewed. Water temperatures checked? Yes ☒ No ☐ If no, explain. 			
	up? Yes IR date/s: N// n compliance verified? Yes	A ⊠ CAP date/s and rule/s:	
Number of excluded e	mployees followed up?	N/A 🔀	

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:		
R 321.1954	Meal and food records.	
	(1). The home shall maintain a record of the meal census, to include residents, personnel, and visitors, and a record of the kind and amount of food used for the preceding 3-month period.	
Review of facility documentation revealed the facility did not have a complete meal census.		
R 325.1979	General maintenance and storage.	
	(3) Hazardous and toxic materials shall be stored in a safe manner.	
Inspection of the facility revealed cleaner was easily accessible to residents in the memory care unit. Easily accessible and hazardous and toxic materials are an unnecessary ingestion and poisoning risk to residents with poor safety awareness.		

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, I recommend no change in the status of the license. renewal of the license is recommended.

Kinveryttoot	05/13/2025
Licensing Consultant	Date