

GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

MARLON I. BROWN, DPA DIRECTOR

July 10, 2025

Cynthia Francis Real Peoples Cares 15329 Fielding Street Detroit, MI 48223

RE: License #: AS820416670

Real People Cares 15329 Fielding Street Detroit, MI 48223

Dear Cynthia Francis:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged, authorized representative and a date.

Upon receipt of an acceptable corrective plan, a six-month provisional license is recommended. If you do not contest the issuance of a provisional license, you must indicate so in writing; this may be included in your corrective action plan or in a separate document. If you contest the issuance of a provisional license, you must notify this office in writing and an administrative hearing will be scheduled. Even if you contest the issuance of a provisional license, you must still submit an acceptable corrective action plan within 15 days.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0439.

Sincerely,

(313) 300-9922

Denasha Walker, Licensing Consultant Bureau of Community and Health Systems Cadillac Pl. Ste 9-100 3026 W. Grand Blvd Detroit, MI 48202

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

I. IDENTIFYING INFORMATION

License #: AS820416670

Licensee Name: Real Peoples Cares

Licensee Address: 15329 Fielding Street

Detroit, MI 48223

Licensee Telephone #:

Licensee/Licensee Designee: Cynthia Francis

Administrator: Cynthia Francis

Name of Facility: Real People Cares

Facility Address: 15329 Fielding Street

Detroit, MI 48223

Facility Telephone #: (313) 766-5227

Original Issuance Date: 05/15/2024

Capacity: 3

Program Type: PHYSICALLY HANDICAPPED

MENTALLY ILL

AGED

II. METHODS OF INSPECTION

Date of On-sit	e Inspection(s):	07/09/	2025
Date of Burea	u of Fire Services Inspection	if applicable:	
Date of Health	n Authority Inspection if applic	cable:	
	erviewed and/or observed its interviewed and/or observe interviewed 1 Role: Li	ed censee deisg	0 0 nee
Medication	on pass / simulated pass obse	erved? Yes [☐ No ☑ If no, explain.
Medication	on(s) and medication record(s) reviewed?	Yes ⊠ No □ If no, explain.
Yes ☑ N • Meal prepart the tim • Fire drills	funds and associated docum No	Yes No No No No No No No No No N	☑ If no, explain. were no reisdents in the home eriod.
If no, exp	reviewed? (Special Certificat lain. nperatures checked? Yes ⊠	-,	
• Incident r	eport follow-up? Yes ⊠ No	☐ If no, exp	olain.
N/	e action plan compliance veri A		CAP date/s and rule/s: N/A ⊠
 Variances 	s? Yes 🗌 (please explain) 1	No 🗌 N/A 🛭	

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14210 Resident register.

A licensee shall maintain a chronological register of residents who are admitted to the home. The register shall include all of the following information for each resident:

- (a) Date of admission.
- (b) Date of discharge.
- (c) Place and address to which the resident moved, if known.

At the time of inspection, the licensee designee, Cynthia Francis, did not maintain a chronological register of residents who are admitted to the home.

R 400.14312 Resident medications.

- (4) When a licensee, administrator, or direct care staff member supervises the taking of medication by a resident, he or she shall comply with all of the following provisions:
- (b) Complete an individual medication log that contains all of the following information:
 - (i) The medication.
 - (ii) The dosage.
 - (iii) Label instructions for use.
 - (iv) Time to be administered.
- (v) The initials of the person who administers the medication, which shall be entered at the time the medication is given.
- (vi) A resident's refusal to accept prescribed medication or procedures.

At the time of inspection:

- Resident A's medication administration records (MARs) did not contain initials of the person who administers the medication, instead there were lines drawn through each individual box. Licensee designee, Cynthia Francis stated she drew a line through each box as she administers Resident A's medication.
- Resident A's MARs did not contain the label instructions for use, only the name of the medication.
- Resident A's MARs did not contain the actual time the medication is given, the time was labeled as morning, evening and night.

R 400.14313 Resident nutrition.

(4) Menus of regular diets shall be written at least 1 week in advance and posted. Any change or substitution shall be noted and considered as part of the original menu.

At the time of inspection, the home did not contain a posted menu.

R 400.14318 Emergency preparedness; evacuation plan; emergency transportation.

(5) A licensee shall practice emergency and evacuation procedures during daytime, evening, and sleeping hours at least once per quarter. A record of the practices shall be maintained and be available for department review.

At the time of inspection, emergency and evacuation procedures were not conducted during daytime, evening, and sleeping hours at least once per quarter.

R 400.14401 Environmental health.

(2) Hot and cold running water that is under pressure shall be provided. A licensee shall maintain the hot water temperature for a resident's use at a range of 105 degrees Fahrenheit to 120 degrees Fahrenheit at the faucet.

At the time of inspection, the hot water at the faucet did not register between 105 to 120 degrees Fahrenheit.

Kitchen, 122.7 degrees Fahrenheit. Bathroom, 122.8 degrees Fahrenheit.

*Corrected onsite; CAP not required.

R 400.14401 Environmental health.

(7) Each habitable room shall have direct outside ventilation by means of windows, louvers, air-conditioning, or mechanical ventilation. During fly season, from April to November, each door, openable window, or other opening to the outside that is used for ventilation purposes shall be supplied with a standard screen of not less than 16 mesh.

At the time of inspection, the East resident bedroom window was not equipped with a standard screen of not less than 16 mesh.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, issuance of a provisional license is recommended.

7/10/2025

Denasha Walker Licensing Consultant Date

Approved by:

7/10/2025

Ardra Hunter Area Manager

Date