



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

September 25, 2025

Callen Fillio
Progressive Lifestyles Inc
Suite 150
1370 North Oakland Blvd
Waterford, MI 48327

RE: License #: AS630418987
Leonard
920 Rochester Rd.
Leonard, MI 48367

Dear Callen Fillio:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- You are to submit documentation of compliance.
- You are to submit a Statement of Correction.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (248) 972-9136.

Sincerely,

A handwritten signature in cursive script that reads "Frodet Dawisha".

Frodet Dawisha, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Place
3026 W. Grand Blvd., Ste 9-100
Detroit, MI 48202
(248) 303-6348

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AS630418987
Licensee Name:	Progressive Lifestyles Inc
Licensee Address:	Suite 150 1370 North Oakland Blvd Waterford, MI 48327
Licensee Telephone #:	(248) 742-1378
Licensee/Licensee Designee:	Callen Fillio
Administrator:	Jennifer Bohne
Name of Facility:	Leonard
Facility Address:	920 Rochester Rd. Leonard, MI 48367
Facility Telephone #:	(248) 884-0765
Original Issuance Date:	03/25/2025
Capacity:	4
Program Type:	PHYSICALLY HANDICAPPED DEVELOPMENTALLY DISABLED MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/25/2025

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 11/20/2024

No. of staff interviewed and/or observed 1

No. of residents interviewed and/or observed 0

No. of others interviewed 2 Role: licensee designees

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
Did not occur during inspection
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A
400.14315 (3) Funds Part II form

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14312	Resident medications.
	(2) Medication shall be given, taken, or applied pursuant to label instructions.

During the on-site inspection on 09/25/2025, I reviewed Resident A's medications and medication logs and found the following errors:

- **Clomipramine 50MG CAP:** take one capsule by mouth every night was not administered at 8PM on 09/24/2025,


R 400.14403	Maintenance of premises.
	(5) Floors, walls, and ceilings shall be finished so as to be easily cleanable and shall be kept clean and in good repair.

During the on-site inspection on 09/25/2025, there was a hole in the wall behind bedroom #1's door.

A corrective action plan was requested and approved on 09/25/2025. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



09/25/2025

Frodet Dawisha
Licensing Consultant

Date