



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

October 17, 2025

Paul Wyman
Retirement Living Management of Greenville
1845 Birmingham SE
Lowell, MI 49331

RE: License #: AL590337155
Green Acres-Supportive Care
1603 Winter Creek Court
Greenville, MI 48838

Dear Mr. Wyman:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 335-5985.

Sincerely,

A handwritten signature in black ink, appearing to read 'Amanda Blasius', written in a cursive style.

Amanda Blasius, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AL590337155

Licensee Name: Retirement Living Management of Greenville

Licensee Address: 1845 Birmingham SE
Lowell, MI 49331

Licensee Telephone #: (616) 897-8000

Licensee/Licensee Designee: Paul Wyman, Designee

Administrator: Jessica Suschil

Name of Facility: Green Acres-Supportive Care

Facility Address: 1603 Winter Creek Court
Greenville, MI 48838

Facility Telephone #: (616) 754-8850

Original Issuance Date: 04/26/2013

Capacity: 20

Program Type: ALZHEIMERS
AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 10/15/2025

Date of Bureau of Fire Services Inspection if applicable: 04/25/2025

Date of Health Authority Inspection if applicable: NA

No. of staff interviewed and/or observed 4

No. of residents interviewed and/or observed 12

No. of others interviewed 0 Role: [REDACTED]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
10/11/2023: a1312(7) a1301(9) N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.15402

Food service.

(6) Household and cooking appliances shall be properly installed according to the manufacturer's recommended safety practices. Where metal hoods or canopies are provided, they shall be equipped with filters. The filters shall be maintained in an efficient condition and kept clean at all times. All food preparation surfaces and areas shall be kept clean and in good repair.

At the time of inspection, the two ovens were inspected and needed to be thoroughly cleaned, as baked on food and charred food particles were observed within.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.



10/17/2025

Amanda Blasius
Licensing Consultant

Date