



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

March 6, 2026

Andrew Akunne
Kamman Adult Foster Care Hm Inc
Unit A
3879 Packard Road
Ann Arbor, MI 48108

RE: License #: AS820277452
Mother Cabrini #4
7875 Pelham Rd.
Allen Park, MI 48101

Dear Andrew Akunne:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

A handwritten signature in black ink, appearing to read "Denasha Walker".

Denasha Walker, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(313) 300-9922

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AS820277452

Licensee Name: Kamman Adult Foster Care Hm Inc

Licensee Address: Unit A
3879 Packard Road
Ann Arbor, MI 48108

Licensee Telephone #: (734) 973-7764

Licensee/Licensee Designee: Andrew Akunne

Administrator: Andrew Akunne

Name of Facility: Mother Cabrini #4

Facility Address: 7875 Pelham Rd.
Allen Park, MI 48101

Facility Telephone #: (313) 216-7988

Original Issuance Date: 08/30/2005

Capacity: 6

Program Type: PHYSICALLY HANDICAPPED
DEVELOPMENTALLY DISABLED
MENTALLY ILL
AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/06/2026

Date of Bureau of Fire Services Inspection if applicable:

Date of Health Authority Inspection if applicable:

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 3

No. of others interviewed 1 Role: Area Manager

- Medication pass / simulated pass observed? Yes No If no, explain.
A full worksheet inspection was completed.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident?
Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
Meal preparation or service was not observed. Residents stated they received breakfast prior to inspection.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
CAP Dated 03/25/2024 R330.1803 (6), R400.14312 (4)(b), R400.14403 (1).
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.647

Safety and maintenance of premises.

(1) A facility must be constructed, arranged, and maintained to provide adequately for the health, safety, and well-being of occupants.

At the time of inspection, the oven door and control panel is broken and not in good repair.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.



03/06/2026

Denasha Walker
Licensing Consultant

Date