



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

March 9, 2026

Josephine Uwazurike
Kevdaco Human Services LLC
PO Box 4199
Southfield, MI 48037

RE: License #: AS820413531
Investigation #: 2026A0122016
KENYI 1

Dear Ms. Uwazurike:

Attached is the Special Investigation Report for the above referenced facility. Due to the violations identified in the report, a written corrective action plan is required. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- Indicate how continuing compliance will be maintained once compliance is achieved.
- Be signed and dated.

A six-month provisional license is recommended. If you do not contest the issuance of a provisional license, you must indicate so in writing; this may be included in your corrective action plan or in a separate document. If you contest the issuance of a provisional license, you must notify this office in writing, and an administrative hearing will be scheduled. Even if you contest the issuance of a provisional license, you must still submit an acceptable corrective action plan.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9720.

Sincerely,

A handwritten signature in black ink that reads "Vanita Bouldin". The signature is written in a cursive style with a large initial "V".

Vanita C. Bouldin, Licensing Consultant
Bureau of Community and Health Systems
22 Center Street
Ypsilanti, MI 48198
(734) 395-4037

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
SPECIAL INVESTIGATION REPORT**

I. IDENTIFYING INFORMATION

License #:	AS820413531
Investigation #:	2026A0122016
Complaint Receipt Date:	03/03/2026
Investigation Initiation Date:	03/03/2026
Report Due Date:	04/02/2026
Licensee Name:	Kevdaco Human Services LLC
Licensee Address:	Suite 200 23999 Northwestern Hwy Southfield, MI 48075
Licensee Telephone #:	(248) 722-5004
Administrator:	Josephine Uwazurike
Licensee Designee:	Josephine Uwazurike
Name of Facility:	KENYI 1
Facility Address:	44744 Geddes Road Canton, MI 48188
Facility Telephone #:	(248) 722-5004
Original Issuance Date:	02/12/2024
License Status:	REGULAR
Effective Date:	02/12/2025
Expiration Date:	02/11/2027
Capacity:	6
Program Type:	PHYSICALLY HANDICAPPED DEVELOPMENTALLY DISABLED

II. ALLEGATION(S)

	Violation Established?
There was a fire at the adult foster care facility, Kenyi 1.	Yes

III. METHODOLOGY

03/03/2026	Special Investigation Intake 2026A0122016 APS Referral
03/03/2026	Special Investigation Initiated - On Site Completed onsite inspection.
03/03/2026	Contact – telephone call received Conducted interview with licensee designee, Josephine Uwazurike.
03/03/2026	Onsite Inspection completed
03/03/2026	Exit Conference Discussed findings with licensee designee, Josephine Uwazurike.

ALLEGATION: There was a fire at the adult foster care facility, Kenyi 1.

INVESTIGATION: On 02/27/2026, I conducted an interview with Josephine Uwazurike. Ms. Uwazurike reported the following update on her adult foster care facility, Kenyi 1, there was a fire on 08/01/2025 which caused significant damage to the property. At the time of the fire there were no residents or employees in the facility, therefore, no one was hurt. However, due to delayed reimbursement process with the insurance company, to date there have been no repair to the property, and it remains uninhabitable.

Ms. Uwazurike stated an investigation was completed by the local fire marshall and the fire started as a result of work done by a sprinkler company that came to replace the sprinkler heads, and within a few hours of leaving the home, the fire started on the same date.

Per Ms. Uwazurike, construction and repair are scheduled to begin within a few weeks, and she would like the opportunity to make the property livable again before she makes changes to her adult foster care license.

On 03/03/2026, I conducted an onsite inspection. I observed significant damage to the facility kitchen, the ceiling of was exposed all to the joist, ceiling debris, drywall, and installation covered the kitchen countertops, appliances, and floor. The kitchen was marked off with yellow caution tape.

On 03/03/2026, I conducted an exit conference with licensee designee, Josephine Uwazuirke and discussed my findings with her. Ms. Uwazuirke agreed to change the status of her license to 1st provisional due the fire damage on her property and stated she will submit a corrective action plan to address the rule violation found.

APPLICABLE RULE	
R 400.647	Safety and maintenance of premises.
	(1) A facility must be constructed, arranged, and maintained to provide adequately for the health, safety, and well-being of occupants.
ANALYSIS:	Based upon my investigation which consisted of an interview with licensee designee, Josephine Uwazuirke and an onsite inspection, I find there is enough evidence to substantiate the allegation that there was a fire at the adult foster care facility, Kenyi 1. Therefore, the facility is not constructed, arranged, maintained to provide adequately for the health, safety, and well-being of the occupants.
CONCLUSION:	VIOLATION ESTABLISHED

IV. RECOMMENDATION

Contingent up receipt and approval of an acceptable corrective action plan, I recommend modification of the license to provisional.



Vanita C. Bouldin
Licensing Consultant

Date: 03/04/2026

Approved By:



Ardra Hunter
Area Manager

Date: 03/09/2026

