



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

April 20, 2026

Alison VanRyckeghem
Livonia Assisted Living and Memory Care
34020 Plymouth Rd
Livonia, MI 48150

RE: License #: AH820402086
Livonia Assisted Living and Memory Care
34020 Plymouth Rd
Livonia, MI 48150

Dear Licensee:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please feel free to contact the local office at (517) 335-5985.

Sincerely,

Jennifer Heim, Licensing Staff
Bureau of Community and Health Systems
611 W. Ottawa Street
Lansing, MI 48909
(313) 410-3226
enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

Licensee License #:	AH820402086
Licensee Name:	Livonia Assisted Living and Memory Care LLC
Licensee Address:	34020 Plymouth Rd Livonia, MI 48150
Licensee Telephone #:	
Authorized Representative/ Administrator	Alison VanRyckeghem
Name of Facility:	Livonia Assisted Living and Memory Care
Facility Address:	34020 Plymouth Rd Livonia, MI 48150
Facility Telephone #:	(734) 743-2300
Original Issuance Date:	01/24/2023
Capacity:	88
Program Type:	ALZHEIMERS AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/24/2026

Date of Bureau of Fire Services Inspection if applicable: 02/23/2026

Inspection Type: ☐ Interview and Observation ☒ Worksheet
☐ Combination

Date of Exit Conference: 03/24/2026

No. of staff interviewed and/or observed 5
No. of residents interviewed and/or observed 10
No. of others interviewed 1 Role Family

- Medication pass / simulated pass observed? Yes ☒ No ☐ If no, explain.
- Medication(s) and medication records(s) reviewed? Yes ☒ No ☐ If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes ☐ No ☒ If no, explain. The facility does not hold resident funds in trust.
- Meal preparation / service observed? Yes ☒ No ☐ If no, explain.
- Fire drills reviewed? Yes ☐ No ☒ If no, explain.
The Bureau of Fire Service reviews fire drills, however facility disaster planning procedures were reviewed.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
- Incident report follow-up? Yes ☐ IR date/s: N/A ☒
- Corrective action plan compliance verified? Yes ☐ CAP date/s and rule/s: N/A
- Number of excluded employees followed up? N/A ☒

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 325.1954 Meal and food records.

The home shall maintain a record of the meal census, to include residents, personnel, and visitors, and a record of the kind and amount of food used for the preceding 3-month period.

The facility states they do not maintain 3-month period of meal census.

R 325.1970 Water supply systems.

(7) The temperature of hot water at plumbing fixtures used by residents shall be regulated to provide tempered water at a range of 105 to 120 degrees Fahrenheit.

Water temperature assessed in multiple rooms recorded higher than the recommended regulated rate of 120 degrees Fahrenheit.

R 325.1976 Kitchen and dietary.

(6) Food and drink used in the home shall be clean and wholesome and shall be manufactured, handled, stored, prepared, transported, and served so as to be safe for human consumption.

Multiple items observed in walk in refrigerator and dry storage opened and not dated such as but not limited to cheese, frozen potatoes, noodles, etc.

R 325.1976 Kitchen and dietary.

(7) Perishable foods shall be stored at temperatures which will protect against spoilage.

The facility states they do not maintain food temperatures logs, refrigerator logs, and freezer logs.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.



04/20/2026

Jennifer Heim, Health Care Surveyor
Long-Term-Care State Licensing Section

Date