



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

June 5, 2019

Charles Cryderman
Haven Adult Foster Care Limited
73600 Church Road
Armada, MI 48005

RE: License #: AS500267724
Griffith Home
73600 Church Street
Armada, MI 48005

Dear Mr. Cryderman:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan: You are to submit a Statement of Correction.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (248) 975-5053.

Sincerely,

A handwritten signature in cursive script that reads "Kristine Cilluffo".

Kristine Cilluffo, Licensing Consultant
Bureau of Community and Health Systems
4th Floor, Suite 4B
51111 Woodward Avenue
Pontiac, MI 48342
(248) 285-1703

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AS500267724
Licensee Name:	Haven Adult Foster Care Limited
Licensee Address:	73600 Church Road Armada, MI 48005
Licensee Telephone #:	(586) 784-8890
Licensee/Licensee Designee:	Charles Cryderman
Administrator:	Charles Cryderman
Name of Facility:	Griffith Home
Facility Address:	73600 Church Street Armada, MI 48005
Facility Telephone #:	(586) 784-8890
Original Issuance Date:	07/19/2004
Capacity:	6
Program Type:	PHYSICALLY HANDICAPPED DEVELOPMENTALLY DISABLED MENTALLY ILL ALZHEIMERS AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/05/2019

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

Inspection Type: Interview and Observation Worksheet
 Combination Full Fire Safety

No. of staff interviewed and/or observed 2
No. of residents interviewed and/or observed 6
No. of others interviewed 1 Role: Licensee Designee

- Medication pass / simulated pass observed? Yes No If no, explain. Completed worksheet renewal inspection.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain. Completed worksheet renewal inspection.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s: AS408(2), AS402(1), AS310(3) N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14401	Environmental health.
	(2) Hot and cold running water that is under pressure shall be provided. A licensee shall maintain the hot water temperature for a resident's use at a range of 105 degrees Fahrenheit to 120 degrees Fahrenheit at the faucet.
During the onsite inspection, I measured the water temperature with a digital thermometer. The water temperature was found to be 125.4 degrees Fahrenheit.	

A corrective action plan was requested and approved on 06/05/2019. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



06/05/2019

Kristine Cilluffo
Licensing Consultant

Date