

GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

ORLENE HAWKS DIRECTOR

August 6, 2021

Scott Schrum
Residential Opportunities, Inc.
1100 South Rose Street
Kalamazoo, MI 49001

RE: License #: AS390011376

Engel Court AIS/MR 7925 Engel Court Portage, MI 49002

Dear Mr. Schrum:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely, Michele Struter

Michele Streeter, Licensing Consultant

Bureau of Community and Health Systems

611 W. Ottawa Street

P.O. Box 30664

Lansing, MI 48909

(269) 251-9037

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

I. IDENTIFYING INFORMATION

License #: AS390011376

Licensee Name: Residential Opportunities, Inc.

Licensee Address: 1100 South Rose Street

Kalamazoo, MI 49001

Licensee Telephone #: (269) 343-3731

Licensee Designee: Scott Schrum

Administrator: Nancy Bolen

Name of Facility: Engel Court AIS/MR

Facility Address: 7925 Engel Court

Portage, MI 49002

Facility Telephone #: (269) 329-0313

Original Issuance Date: 09/29/1982

Capacity: 6

Program Type: PHYSICALLY HANDICAPPED

DEVELOPMENTALLY DISABLED

II. METHODS OF INSPECTION

Date of On-site Inspection: 08/05/2021			
Date of Bureau of Fire Services Inspection if applicable: N/A			
Date of Environmental/Health Inspection if applicable: 04/29/2021			
Inspe	ction Type:	☐ Interview and Observation	on ⊠ Worksheet □ Full Fire Safety
No. of staff interviewed and/or observed No. of residents interviewed and/or observed No. of others interviewed Role:			
• N	ledication pass / simu	lated pass observed? Yes ∑	☑ No ☐ If no, explain.
• N	ledication(s) and med	ication record(s) reviewed?	Yes ⊠ No □ If no, explain.
• N	Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain. Meal preparation / service observed? Yes No If no, explain. No meal prepared at the time of inspection. Fire drills reviewed? Yes No If no, explain.		
• F	ire safety equipment a	and practices observed? Yes	s ⊠ No □ If no, explain.
lf	E-scores reviewed? (Special Certification Only) Yes No N/A In If no, explain. Water temperatures checked? Yes No If no, explain.		
• Ir	Incident report follow-up? Yes ⊠ No □ If no, explain.		
0	9/03/2019: 208(1)©, 2	compliance verified? Yes 05(5) N/A nployees followed-up?	CAP date/s and rule/s: N/A ⊠
• V	′ariances? Yes ☐ (ple	ease explain) No 🖂 N/A 🗌	

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14315 Handling of resident funds and valuables.

(6) Except for bank accounts, a licensee shall not accept resident funds of more than \$200.00 for any resident of the home after receiving payment of charges owed.

FINDING: Upon review of residents' funds and valuables, it was established that on 07/01/2021 the facility accepted \$800 to hold in trust for Resident A. During the onsite inspection, it was established the facility was holding \$312.34 in trust for Resident A.

On 07/14/2021 the facility accepted \$800 to hold in trust for Resident B.

On 07/14/2021 the facility held \$600 in trust at the facility for Resident C.

R 400.14401 Environmental health.

(2) Hot and cold running water that is under pressure shall be provided. A licensee shall maintain the hot water temperature for a resident's use at a range of 105 degrees Fahrenheit to 120 degrees Fahrenheit at the faucet.

FINDING: The water tested from the sink located in the resident bathroom on the right side of the facility does not reach at least 105 degrees Fahrenheit unless a facility staff member runs the water in the shower for several minutes.

R 400.14511 Flame-producing equipment; enclosures.

(4) Combustible materials shall not be stored in rooms that contain heating equipment, a water heater, an incinerator, or other flame-producing equipment.

FINDING: The facility has two heating plants rooms on the main level. The facility's furnace is located in one heating plant room while the facility's hot water heater is located in the other. There are combustible materials stored in both heating plant rooms.

* Combustible materials refers to those materials which catch fire, burn, or smolder, when subjected to various degrees of heat. Such materials would include, but are not limited to, flammable liquids, paper, cloth, wood, plastic, vinyl, leather, etc.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the AFC license and Special Certification is recommended.

Michele Streeter Date
Licensing Consultant