



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

December 1, 2021

Rochelle Rawlings
15881 32nd Avenue
Coopersville, MI 49404

RE: License #: AF700005230
Investigation #: 2022A0340006
Shel & Mar AFC Home

Dear Ms. Rawlings:

Attached is the Special Investigation Report for the above referenced facility. No substantial violations were found.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Sincerely,

A handwritten signature in blue ink that reads "Rebecca Piccard".

Rebecca Piccard, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 446-5764

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
SPECIAL INVESTIGATION REPORT**

I. IDENTIFYING INFORMATION

License #:	AF700005230
Investigation #:	2022A0340006
Complaint Receipt Date:	11/05/2021
Investigation Initiation Date:	11/05/2021
Report Due Date:	01/04/2022
Licensee Name:	Rochelle Rawlings
Licensee Address:	15881 32nd Avenue, Coopersville, MI 49404
Licensee Telephone #:	(616) 677-3268
Administrator:	N/A
Licensee Designee:	N/A
Name of Facility:	Shel & Mar AFC Home
Facility Address:	15881 32nd Avenue,Coopersville, MI 49404
Facility Telephone #:	(616) 450-2283
Original Issuance Date:	09/05/1979
License Status:	REGULAR
Effective Date:	02/24/2020
Expiration Date:	02/23/2022
Capacity:	6
Program Type:	DEVELOPMENTALLY DISABLED MENTALLY ILL

II. ALLEGATION(S)

	Violation Established?
Environmental Health "D" rating	Yes

III. METHODOLOGY

11/05/2021	Special Investigation Intake 2022A0340006
11/05/2021	Special Investigation Initiated - Telephone Licensee Rochelle Rawlings
11/05/2021	Inspection Completed On-site
11/05/2021	Inspection Completed-BCAL Sub. Compliance
11/30/2021	Corrective Action Plan Requested and Due on 12/15/2021
11/30/2021	Corrective Action Plan Received
11/30/2021	Corrective Action Plan Approved
11/30/2021	Exit Conference

ALLEGATION: Environmental Health rating is a "D".

INVESTIGATION: On November 5, 2021, I received a report from the Ottawa County Health Department. A "D" rating had been given due to issues with the well, "borings into both drainfields showed dirty, dry stone. The systems exceed the average life expectancy of 20 years".

On November 5, 2021, I contacted Licensee Rochelle Rawlings. We discussed the "D" rating and what needed to happen to correct the issue. She stated she will be contacting a drilling company and will let me know when she has more information.

On November 30, 2021, I spoke with Ms. Rawlings. She stated that she has hired a drilling company and they will be out to the home next week. She submitted this information in writing to serve as a corrective action plan which I informed her was acceptable.

APPLICABLE RULE	
R 400.1424	Environmental health.
	(1) The water supply shall be adequate, of a safe and sanitary quality, and from an approved source. Hot and cold running water under pressure shall be provided.
ANALYSIS:	The Ottawa County Health Department issued a "D" Environmental Health rating due to problems with the septic system. Ms. Rawlings has hired a company to address the issue.
CONCLUSION:	VIOLATION ESTABLISHED

On November 30, 2021, I conducted an exit conference with Ms. Rawlings after she sent an acceptable corrective action plan.

IV. RECOMMENDATION

After receiving an acceptable corrective action plan, I recommend no change to the current license status.

 November 30, 2021

Rebecca Piccard Date
Licensing Consultant

Approved By:

 December 1, 2021

Jerry Hendrick Date
Area Manager