



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

November 3, 2021

Betty Mackie  
Henry's Inc.  
P.O. Box 81733  
Rochester, MI 48308

RE: License #: AS820273992  
**Henry's Inc. Paradise Home**  
**30935 Pennsylvania**  
**Romulus, MI 48174**

Dear Ms. Mackie:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan: (*choose one or more*)

- You are to submit documentation of compliance.
- You are to submit a Statement of Correction.

Please contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

A handwritten signature in blue ink, appearing to read "Edith Richardson".

Edith Richardson, Licensing Consultant  
Bureau of Community and Health Systems  
Cadillac Pl. Ste 9-100  
3026 W. Grand Blvd  
Detroit, MI 48202  
(313) 919-1934

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

**License #:** AS820273992

**Licensee Name:** Henrys Inc.

**Licensee Address:** P.O. Box 81733  
Rochester, MI 48308

**Licensee Telephone #:** (313) 910-2951

**Licensee/Licensee Designee:** Betty Mackie, Designee

**Administrator:** Sheila Hawkins

**Name of Facility:** Henry's Inc. Paradise Home

**Facility Address:** 30935 Pennsylvania  
Romulus, MI 48174

**Facility Telephone #:** (313) 910- 2951

**Original Issuance Date:** 06/07/2005

**Capacity:** 6

**Program Type:** PHYSICALLY HANDICAPPED  
DEVELOPMENTALLY DISABLED  
MENTALLY ILL

**Certified Programs:** DEVELOPMENTALLY DISABLED  
MENTALLY ILL



### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

**R 400.14403          Maintenance of premises.**

**(1) A home shall be constructed, arranged, and maintained to provide adequately for the health, safety, and well-being of occupants.**

The fire alarm system's integrated functions "meant to improve occupants' life safety or control the spread of fire" did not work when activated.

The emergency lights did not flash.  
The fire door separating the sleeping areas from the rest of the home did not release and close shut.

A corrective action plan was requested and approved on 10/27/2021. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license and special certification.

### IV. RECOMMENDATION

I recommend issuance of a 2-year regular adult foster care license.



Edith Richardson  
Licensing Consultant

11/03/2021  
Date