



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

October 10, 2022

Paul Carlson  
Bowman Place  
1215 N. Elm Street  
Three Rivers, MI 49093

RE: License #: AH750378305  
Bowman Place  
1215 N. Elm Street  
Three Rivers, MI 49093

Dear Mr. Carlson:

An administrative review of your licensing activity for the past year has revealed substantial compliance with the public health code and administrative rules regulating home for the aged facilities. However, in accordance with MCL 333.20155(1) Home for the Aged, the facility license cannot be renewed until an approved BFS rating is received. The current BFS rating is C expiration 9/25/2022.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event I am not available, and you need to speak to someone immediately, please feel free to contact the local office at (616) 356-0100.

Sincerely,

A handwritten signature in cursive script that reads "Julie Viviano".

Julie Viviano, Licensing Staff  
Bureau of Community and Health Systems  
Unit 13, 7th Floor  
350 Ottawa, N.W.  
Grand Rapids, MI 49503  
Cell (616) 204-4300

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	AH750378305
<b>Licensee Name:</b>	Bowman AID OPCO LLC
<b>Licensee Address:</b>	Ste 3700 330 N. Wabash Chicago, IL 60611
<b>Licensee Telephone #:</b>	(312) 725-7010
<b>Authorized Representative:</b>	Paul Carlson
<b>Administrator/Licensee Designee:</b>	Abigail Mulholland
<b>Name of Facility:</b>	Bowman Place
<b>Facility Address:</b>	1215 N. Elm Street Three Rivers, MI 49093
<b>Facility Telephone #:</b>	(269) 279-0088
<b>Original Issuance Date:</b>	04/25/2017
<b>Capacity:</b>	61
<b>Program Type:</b>	AGED

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 10/10/2022 – No Onsite Administrative Review Completed

Date of Bureau of Fire Services Inspection if applicable: BFS – C 9/25/2022

Inspection Type:  Interview and Observation  Worksheet  
 Combination

Date of Exit Conference:

No. of staff interviewed and/or observed   
No. of residents interviewed and/or observed   
No. of others interviewed  Role


- Medication pass / simulated pass observed? Yes  No  If no, explain.
- Medication(s) and medication records(s) reviewed? Yes  No  If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes  No  If no, explain.
- Meal preparation / service observed? Yes  No  If no, explain.
- Fire drills reviewed? Yes  No  If no, explain.
- Water temperatures checked? Yes  No  If no, explain.
- Incident report follow-up? Yes  IR date/s: N/A
- Corrective action plan compliance verified? Yes  CAP date/s and rule/s:
- Number of excluded employees followed up? N/A

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

The facility is in compliance with all applicable rules and statutes. However, the current BFS rating is C expiration 9/25/2022.

### IV. RECOMMENDATION

Upon receipt of an approved BFS rating, renewal of the license is recommended.



10/10/2022

---

Date

Licensing Consultant