



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 10, 2022

Patricia Crist
8965 Outback Alley
Cheboygan, MI 49721

RE: License #: AF160393717
Sessler's AFC
8965 Outback Alley
Cheboygan, MI 49721

Dear Ms. Crist:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan: An on-site inspection will be conducted.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license and special certification is renewed. It is valid only at your present address and is nontransferable. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,

A handwritten signature in cursive script that reads "Adam Robarge".

Adam Robarge, Licensing Consultant
Bureau of Community and Health Systems
701 S. Elmwood, Suite 11
Traverse City, MI 49684
(231) 350-0939

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AF160393717
Licensee Name:	Patricia Crist
Licensee Address:	8965 Outback Alley Cheboygan, MI 49721
Licensee Telephone #:	(231) 818-9001
Administrator:	N/A
Name of Facility:	Sessler's AFC
Facility Address:	8965 Outback Alley Cheboygan, MI 49721
Facility Telephone #:	(231) 818-9001
Original Issuance Date:	05/14/2018
Capacity:	2
Program Type:	DEVELOPMENTALLY DISABLED MENTALLY ILL
Certified Programs:	DEVELOPMENTALLY DISABLED MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/04/2022

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 07/25/2022

No. of staff interviewed and/or observed 1

No. of residents interviewed and/or observed 1

No. of others interviewed 1 Role: Licensee

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rule:

R 400.1426 Maintenance of premises.

(1) The premises shall be maintained in a clean and safe condition.

The water temperature at the sink was measured at 122 degrees Fahrenheit at the time of the inspection.

A corrective action plan was requested and approved on 11/04/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license and special certification.

IV. RECOMMENDATION

I recommend issuance of a two-year regular adult foster care family home license.



11/10/2022

Adam Robarge
Licensing Consultant

Date