



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 15, 2022

Laury Grider
3140 Shirley Drive
Jackson, MI 49201

RE: License #: AF380077498
Garden Estates
3140 Shirley Drive
Jackson, MI 49201

Dear Ms. Grider:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan: **You are to submit a Statement of Correction by December 15, 2022.**

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

A handwritten signature in cursive script that reads "Mahtina Rubritius".

Mahtina Rubritius, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Place
3026 W. Grand Blvd., Ste. #9-100
Detroit, MI 48202
(517) 262-8604

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AF380077498

Licensee Name: Laury Grider

Licensee Address: 3140 Shirley Drive
Jackson, MI 49201

Licensee Telephone #: (517) 841-1750

Licensee/Licensee Designee: N/A

Administrator: N/A

Name of Facility: Garden Estates

Facility Address: 3140 Shirley Drive
Jackson, MI 49201

Facility Telephone #: (517) 841-1750

Original Issuance Date: 05/29/1998

Capacity: 6

Program Type: AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/10/2022

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 08/29/2022

No. of staff interviewed and/or observed 1

No. of residents interviewed and/or observed 4

No. of others interviewed 0 Role: [REDACTED]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
The on-site inspection was not concurrent with the mealtimes.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
There were no incident reports recently submitted that required follow-up.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.1426 Maintenance of premises.

(1) The premises shall be maintained in a clean and safe condition.

- While the facility was observed to be exceptionally neat and clean, there were combustibles stored next to the heat producing equipment.
- At the time of the on-site inspection, the licensee submitted a written corrective action plan, documenting that the items would be removed that day. In addition, that she would continue to monitor the situation and not store items next to the furnace and water heater.

A corrective action plan was requested and approved on 11/10/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.

Mahtina Rubritius

11/15/2022

Mahtina Rubritius
Licensing Consultant

Date