



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 19, 2022

Virginia Ingle
Drews Place Of Coldwater Inc.
300 E. Washington St.
Coldwater, MI 49036

RE: License #: AL120238692
Drews Place of Coldwater II
300 E. Washington Street
Coldwater, MI 49036

Dear Mrs. Ingle:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in blue ink that reads "KDuda".

Kristy Duda, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AL120238692
Licensee Name:	Drews Place of Coldwater Inc..
Licensee Address:	300 E. Washington St. Coldwater, MI 49036
Licensee Telephone #:	(517) 398-5333
Licensee/Licensee Designee:	Virginia Ingle
Administrator:	Stacy Morgan
Name of Facility:	Drews Place of Coldwater II
Facility Address:	300 E. Washington Street Coldwater, MI 49036
Facility Telephone #:	(517) 278-9494
Original Issuance Date:	01/30/2002
Capacity:	20
Program Type:	ALZHEIMERS AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/10/2022

Date of Bureau of Fire Services Inspection if applicable: 10/06/2021

Date of Health Authority Inspection if applicable: N/A

Inspection Type: ☐ Interview and Observation ☒ Worksheet
☐ Combination ☐ Full Fire Safety

No. of staff interviewed and/or observed 2
No. of residents interviewed and/or observed 6
No. of others interviewed 1 Role: Licensee

- Medication pass / simulated pass observed? Yes ☒ No ☐ If no, explain.
- Medication(s) and medication record(s) reviewed? Yes ☒ No ☐ If no, explain.
- Resident funds and associated documents reviewed for at least one resident?
Yes ☒ No ☐ If no, explain.
- Meal preparation / service observed? Yes ☐ No ☒ If no, explain.
Inspection occurred between mealtimes.
- Fire drills reviewed? Yes ☒ No ☐ If no, explain.
- Fire safety equipment and practices observed? Yes ☒ No ☐ If no, explain.
- E-scores reviewed? (Special Certification Only) Yes ☐ No ☐ N/A ☒
If no, explain.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
The water temperature was measured to be 115 degrees Fahrenheit.
- Incident report follow-up? Yes ☐ No ☒ If no, explain.
There were not any incident reports submitted requiring follow-up.
- Corrective action plan compliance verified? Yes ☐ CAP date/s and rule/s:
N/A ☒
- Number of excluded employees followed-up? N/A ☒
- Variances? Yes ☐ (please explain) No ☐ N/A ☒

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was determined to be in substantial compliance with rules and requirements.

IV. RECOMMENDATION

I recommend issuance of a 2-year regular adult foster care license.



8/19/2022

Kristy Duda
Licensing Consultant

Date