



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 4, 2022

Jennifer Bhaskaran
Alternative Services Inc.
Suite 10
32625 W Seven Mile Rd
Livonia, MI 48152

RE: License #: AS250077384
Morrish Road Home
3218 Morrish Rd
Swartz Creek, MI 48473

Dear Ms. Bhaskaran:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan: *(choose one or more)*

- You are to submit documentation of compliance.
- You are to submit a Statement of Correction.
- An on-site inspection will be conducted.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license and special certification are renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9700.

Sincerely,

A handwritten signature in cursive script that reads "Christopher A. Holvey".

Christopher Holvey, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 899-5659

611 W. OTTAWA • P.O. BOX 30664 • LANSING, MICHIGAN 48909
www.michigan.gov/lara • 517-335-1980

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AS250077384

Licensee Name: Alternative Services Inc.

Licensee Address: Suite 10
32625 W Seven Mile Rd
Livonia, MI 48152

Licensee Telephone #: (248) 471-4880

Licensee/Licensee Designee: Jennifer Bhaskaran, Designee

Administrator: Will Paige

Name of Facility: Morrish Road Home

Facility Address: 3218 Morrish Rd
Swartz Creek, MI 48473

Facility Telephone #: (810) 635-3828

Original Issuance Date: 10/10/1997

Capacity: 6

Program Type: PHYSICALLY HANDICAPPED
AGED

Special Certification: DEVELOPMENTALLY DISABLED
MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/03/2022

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 04/27/2022

Inspection Type: Interview and Observation Worksheet
 Combination Full Fire Safety

No. of staff interviewed and/or observed 1
No. of residents interviewed and/or observed 5
No. of others interviewed 0 Role: [REDACTED]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
Home was viewed to have an adequate supply of food.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
1/4/2021, N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14408 Bedrooms generally.

(7) Bedrooms shall have at least 1 easily openable window.

One resident bedroom was viewed to not have at least one window that would open.

A corrective action plan was requested and approved on 08/03/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



8/4/2022

Christopher Holvey
Licensing Consultant

Date