



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

March 2, 2023

Dawn Foulke  
Clinton Creek, Inc.  
4438 Ramsgate Lane  
Bloomfield Hills, MI 48302

RE: License #: AH500387884  
**Clinton Creek Assisted Living & Memory Care**  
**40500 Garfield Road**  
**Clinton Township, MI 48038**

Dear Ms. Foulke:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result. Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please feel free to contact the local office at (517) 284-9730.

Sincerely,

Brender Howard, Licensing Staff  
Bureau of Community and Health Systems  
611 W. Ottawa Street, P.O. Box 30664  
Lansing, MI 48909  
(313) 268-1788

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

**License #:** AH500387884

**Licensee Name:** Clinton Creek, Inc.

**Licensee Address:** 4438 Ramsgate Lane  
Bloomfield Hills, MI 48302

**Licensee Telephone #:** (248) 701-5043

**Authorized Representative:** Dawn Foulke

**Administrator:** Geralyn Cummings

**Name of Facility:** Clinton Creek Assisted Living & Memory Care

**Facility Address:** 40500 Garfield Road  
Clinton Township, MI 48038

**Facility Telephone #:** (586) 354-2700

**Original Issuance Date:** 07/18/2019

**Capacity:** 62

**Program Type:** ALZHEIMERS  
AGED

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 3/01/2023

Date of Bureau of Fire Services Inspection if applicable: 11/02/2022

Inspection Type:  Interview and Observation  Worksheet  
 Combination

Date of Exit Conference: 3/01/2023

No. of staff interviewed and/or observed 9  
No. of residents interviewed and/or observed 34  
No. of others interviewed 2 Role Residents' family members

- Medication pass / simulated pass observed? Yes  No  If no, explain.
- Medication(s) and medication records(s) reviewed? Yes  No  If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes  No  If no, explain. No funds held for residents
- Meal preparation / service observed? Yes  No  If no, explain.
- Fire drills reviewed? Yes  No  If no, explain. Interviewed staff on the policies and procedures.
- Water temperatures checked? Yes  No  If no, explain.
- Incident report follow-up? Yes  IR date/s: N/A
- Corrective action plan compliance verified? Yes  CAP date/s and rule/s: 10/19/2022 2022A1022012 1933 (1), 1922 (5), 1921 (1); 4/30/2022 2022A1019034 1924 (3)
- Number of excluded employees followed up? N/A

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:	
<b>R 325.1964</b>	<b>Interiors.</b>
	<p><b>(9) Ventilation shall be provided throughout the facility in the following manner:</b></p> <p><b>(a) A room shall be provided with a type and amount of ventilation that will control odors and contribute to the comfort of occupants.</b></p> <p><b>(b) Bathing rooms, beauty shops, toilet rooms, soiled linen rooms, janitor closets, and trash holding rooms shall be provided with a minimum of 10 air changes per hour of continuously operated exhaust ventilation that provide discernable air flow into each of these rooms.</b></p>
	The following areas lacked adequate and discernable air flow: residents' bathing/toileting facilities located in rooms in 116, 113, 112, 111, 128, 200, 201, the janitor closet, public restrooms, the spa room, and the soiled linen closets.
<b>R 325.1972</b>	<b>Solid wastes.</b>
	<b>All garbage and rubbish shall be kept in leakproof, nonabsorbent containers. The containers shall be kept covered with tight-fitting lids and shall be removed from the home daily and from the premises at least weekly.</b>

	Three garbage cans were observed to not have lids to on them.
<b>R 325.1976</b>	<b>Kitchen and dietary.</b>
	<b>(6) Food and drink used in the home shall be clean and wholesome and shall be manufactured, handled, stored, prepared, transported, and served so as to be safe for human consumption.</b>
	Food such as mayonnaise, salad dressing, etc. stored in the kitchen refrigerator did not have open dates on the containers. Therefore, not knowing how long it had been opened
<b>R 325.1976</b>	<b>Kitchen and dietary.</b>
	<b>(8) A reliable thermometer shall be provided for each refrigerator and freezer.</b>
	Two refrigerators in the kitchen and one refrigerator in the kitchenette did not have thermometers in them.

#### IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

*Brenden L. Howard*

3/2/2023

\_\_\_\_\_  
Date

Licensing Consultant