

GRETCHEN WHITMER GOVERNOR STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

ORLENE HAWKS DIRECTOR

April 4, 2023

Philip Campau Michigan Pure, L.L.C. 3100 N. Parma Road Parma, MI 49269

> RE: License #: AS380383819 Jacqueline House Assisted Living 2 3829 Guest Rd. Jackson, MI 49203

Dear Mr. Campau:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

Maktina Rubartius

Mahtina Rubritius, Licensing Consultant Bureau of Community and Health Systems Cadillac Place 3026 W. Grand Blvd., Ste. #9-100 Detroit, MI 48202 (517) 262-8604 (517) 763-0211

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

I. IDENTIFYING INFORMATION

License #:	AS380383819
Licensee Name:	Michigan Pure, L.L.C.
Licensee Address:	3100 N. Parma Road Parma, MI 49269
Licensee Telephone #:	(517) 206-7489
Licensee/Licensee Designee:	Philip Campau
Administrator:	Stephanie Lally
Name of Facility:	Jacqueline House Assisted Living 2
Facility Address:	3829 Guest Rd. Jackson, MI 49203
Facility Telephone #:	(517) 888-5165
Original Issuance Date:	10/24/2016
Capacity:	6
Program Type:	PHYSICALLY HANDICAPPED ALZHEIMERS AGED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/04/2023

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed3No. of residents interviewed and/or observed6No. of others interviewed0Role:0

- Medication pass / simulated pass observed? Yes \boxtimes No \square If no, explain.
- Medication(s) and medication record(s) reviewed? Yes 🛛 No 🗌 If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes ⊠ No □ If no, explain.
- Meal preparation / service observed? Yes 🖂 No 🗌 If no, explain.
- Fire drills reviewed? Yes \boxtimes No \square If no, explain.
- Fire safety equipment and practices observed? Yes \boxtimes No \square If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A If no, explain.
- Water temperatures checked? Yes 🛛 No 🗌 If no, explain.
- Incident report follow-up? Yes 🛛 No 🗌 If no, explain.
- Corrective action plan compliance verified? Yes □ CAP date/s and rule/s: N/A ⊠
- Number of excluded employees followed-up? 1 N/A
- Variances? Yes 🗌 (please explain) No 🗌 N/A 🖂

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14511 Flame-producing equipment; enclosures.

(4) Combustible materials shall not be stored in rooms that contain heating equipment, a water heater, an incinerator, or other flame-producing equipment.

• There were mattresses and other household items stored in the room that contained the heat producing equipment.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

Maktina Rubertius

4/4/2023

Mahtina Rubritius Licensing Consultant Date