



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

MARLON I. BROWN, DPA  
ACTING DIRECTOR

August 24, 2023

Ramon Beltran  
Beacon Specialized Living Services, Inc.  
Suite 110  
890 N. 10th St.  
Kalamazoo, MI 49009

RE: License #: AS390406162  
**Beacon Home at Sprinkle**  
**6457 N. Sprinkle Rd.**  
**Kalamazoo, MI 49004**

Dear Ramon Beltran:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- You are to submit documentation of compliance.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Ondrea Johnson".

Ondrea Johnson, Licensing Consultant  
Bureau of Community and Health Systems  
427 East Alcott  
Kalamazoo, MI 49001

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

**License #:** AS390406162

**Licensee Name:** Beacon Specialized Living Services, Inc.

**Licensee Address:** Suite 110  
890 N. 10th St.  
Kalamazoo, MI 49009

**Licensee Telephone #:** (269) 427-8400

**Licensee/Licensee Designee:** Ramon Beltran

**Administrator:** Aubry Napier

**Name of Facility:** Beacon Home at Sprinkle

**Facility Address:** 6457 N. Sprinkle Rd.  
Kalamazoo, MI 49004

**Facility Telephone #:** (269) 488-8118

**Original Issuance Date:** 02/18/2021

**Capacity:** 6

**Program Type:** DEVELOPMENTALLY DISABLED  
MENTALLY ILL

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/15/2023

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 4/11/2023

No. of staff interviewed and/or observed 3

No. of residents interviewed and/or observed 4

No. of others interviewed 0 Role: 0

- Medication pass / simulated pass observed? Yes  No  If no, explain.
- Medication(s) and medication record(s) reviewed? Yes  No  If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes  No  If no, explain.
- Meal preparation / service observed? Yes  No  If no, explain.
- Fire drills reviewed? Yes  No  If no, explain.
- Fire safety equipment and practices observed? Yes  No  If no, explain.
- E-scores reviewed? (Special Certification Only) Yes  No  N/A   
If no, explain.
- Water temperatures checked? Yes  No  If no, explain.
- Incident report follow-up? Yes  No  If no, explain.
- Corrective action plan compliance verified? Yes  CAP date/s and rule/s:  
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes  (please explain) No  N/A

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

**R 400.14410 Bedroom furnishings.**

**(1) The bedroom furnishings in each bedroom shall include all of the following:**

**(d) At least 1 chair.**

FINDINGS: Bedroom #3 does not have at least one chair in bedroom.

**R 400.14410 Bedroom furnishings.**

**(2) A resident bedroom shall be equipped with a mirror that is appropriate for grooming.**

FINDINGS: Bedroom #3 and #5 has no mirror in bedroom.

A corrective action plan was requested and approved on 07/23/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

### IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



Ondrea Johnson  
Licensing Consultant

8/24/2023  
Date