



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

July 31, 2023

Callen Fillio  
Progressive Lifestyles Inc  
Suite 150  
1370 North Oakland Blvd  
Waterford, MI 48327

RE: License #: AS630064520  
**Garretson CLF**  
**5515 Garretson**  
**Oxford, MI 48371**

Dear Callen Fillio:


Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (248) 975-5053.

Sincerely,

A handwritten signature in dark ink that reads "Frodet Dawisha". The signature is written in a cursive style with a light blue highlight under the name.

Frodet Dawisha, Licensing Consultant  
Bureau of Community and Health Systems  
Cadillac Place, Ste 9-100  
Detroit, MI 48202  
(248) 303-6348

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	AS630064520
<b>Licensee Name:</b>	Progressive Lifestyles Inc
<b>Licensee Address:</b>	Suite 150 1370 North Oakland Blvd Waterford, MI 48327
<b>Licensee Telephone #:</b>	(248) 742-1378
<b>Licensee/Licensee Designee:</b>	Callen Fillio
<b>Administrator:</b>	Jennifer Bohne
<b>Name of Facility:</b>	Garretson CLF
<b>Facility Address:</b>	5515 Garretson Oxford, MI 48371
<b>Facility Telephone #:</b>	(248) 875-4033
<b>Original Issuance Date:</b>	04/03/1995
<b>Capacity:</b>	4
<b>Program Type:</b>	PHYSICALLY HANDICAPPED DEVELOPMENTALLY DISABLED MENTALLY ILL

**II. METHODS OF INSPECTION**

Date of On-site Inspection(s): 07/27/2023

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 07/05/2023

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 0

No. of others interviewed 1 Role: licensee designee

- Medication pass / simulated pass observed? Yes  No  If no, explain.
  - Medication(s) and medication record(s) reviewed? Yes  No  If no, explain.
  - Resident funds and associated documents reviewed for at least one resident? Yes  No  If no, explain.
  - Meal preparation / service observed? Yes  No  If no, explain.  
Did not occur during inspection
  - Fire drills reviewed? Yes  No  If no, explain.
  - Fire safety equipment and practices observed? Yes  No  If no, explain.
  - E-scores reviewed? (Special Certification Only) Yes  No  N/A   
If no, explain.
  - Water temperatures checked? Yes  No  If no, explain.
  - Incident report follow-up? Yes  No  If no, explain.
  - Corrective action plan compliance verified? Yes  CAP date/s and rule/s:  
N/A
  - Number of excluded employees followed-up? N/A
  - Variances? Yes  (please explain) No  N/A
- AS315 (3) Funds Part II form

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:


<b>R 400.14403</b>	<b>Maintenance of premises.</b>
	<b>(5) Floors, walls, and ceilings shall be finished so as to be easily cleanable and shall be kept clean and in good repair.</b>

During the on-site inspection on 07/27/2023, the kitchen ceiling was repaired, but the repair was not completed properly. I can see the drywall tape coming apart and the paint used for the ceiling repair does not match the kitchen paint.

The carpet in the living room is coming apart at the seams.

### IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.



07/31/2023

---

Frodet Dawisha  
Licensing Consultant

Date