

GRETCHEN WHITMER
GOVERNOR

# STATE OF MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS LANSING

MARLON I. BROWN, DPA ACTING DIRECTOR

September 14, 2023

Mechelle Genigeski AH Holland Subtenant LLC 6755 Telegraph Rd Ste 330 Bloomfield Hills, MI 48301

RE: License #: AL700397726

AHSL Holland Bay Pointe 11899 James Street Holland, MI 49423

Dear Mrs. Genigeski:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,

arthony Mullin

Anthony Mullins, Licensing Consultant Bureau of Community and Health Systems Unit 13, 7th Floor 350 Ottawa, N.W. Grand Rapids, MI 49503

611 W. OTTAWA • P.O. BOX 30664 • LANSING, MICHIGAN 48909 www.michigan.gov/lara • 517-335-1980

# MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS BUREAU OF COMMUNITY AND HEALTH SYSTEMS RENEWAL INSPECTION REPORT

#### I. IDENTIFYING INFORMATION

**License #:** AL700397726

Licensee Name: AH Holland Subtenant LLC

**Licensee Address:** One SeaGate, Suite 1500

Toledo, OH 43604

**Licensee Telephone #:** (616) 283-9221

Licensee/Licensee Designee: Mechelle Genigeski

Administrator: Mechelle Genigeski

Name of Facility: AHSL Holland Bay Pointe

Facility Address: 11899 James Street

Holland, MI 49423

**Facility Telephone #:** (616) 393-2174

Original Issuance Date: 04/08/2019

Capacity: 20

Program Type: PHYSICALLY HANDICAPPED

AGED

**ALZHEIMERS** 

## **II. METHODS OF INSPECTION**

Date of On-site Inspection(s):	09/13/2023	
Date of Bureau of Fire Services Inspection if app	plicable: 10/26/2022	
Date of Health Authority Inspection if applicable	: N/A	
No. of staff interviewed and/or observed No. of residents interviewed and/or observed No. of others interviewed  1 Role: Design	2 4 nee	
<ul> <li>Medication pass / simulated pass observed? Yes ☐ No ☒ If no, explain.         No medications were scheduled to be passed during the inspection.</li> <li>Medication(s) and medication record(s) reviewed? Yes ☒ No ☐ If no, explain.</li> </ul>		
<ul> <li>Resident funds and associated documents reviewed for at least one resident?         Yes ☐ No ☒ If no, explain. N/A</li> <li>Meal preparation / service observed? Yes ☒ No ☐ If no, explain.</li> </ul>		
Fire drills reviewed? Yes ⊠ No ☐ If no, e	explain.	
• Fire safety equipment and practices observed? Yes ⊠ No ☐ If no, explain.		
<ul> <li>E-scores reviewed? (Special Certification Only) Yes ☐ No ☐ N/A ☐ If no, explain.</li> <li>Water temperatures checked? Yes ☐ No ☐ If no, explain.</li> </ul>		
<ul> <li>Incident report follow-up? Yes ☐ No ☒ If N/A</li> </ul>	f no, explain.	
<ul> <li>Corrective action plan compliance verified?</li> <li>N/A ⋈</li> </ul>	Yes CAP date/s and rule/s:	
Number of excluded employees followed-up	p? N/A ⊠	
• Variances? Yes [ (please explain) No [	] N/A ⊠	

# **III. DESCRIPTION OF FINDINGS & CONCLUSIONS**

This facility was found to be in non-compliance with the following rules:

#### R 400.15301

Resident admission criteria; resident assessment plan; emergency admission; resident care agreement; physician's instructions; health care appraisal.

(4) At the time of admission, and at least annually, a written assessment plan shall be completed with the resident or the resident's designated representative, the responsible agency, if applicable, and the licensee. A licensee shall maintain a copy of the resident's written assessment plan on file in the home.

Resident C, Resident D, and Resident E did not have signed assessment plans on file during the inspection.

#### R 400.15310

#### Resident health care.

(3) A licensee shall record the weight of a resident upon admission and monthly thereafter. Weight records shall be kept on file for 2 years.

Resident A did not have weight records on file for February, March, April, May, and June 2023. Resident B did not have weight records on file for March, April, and June 2023. Resident C did not have weight records on file for March, April, May, and June 2023. Resident E did not have weight records on file for May and June 2023.

#### R 400.15312 Resident medications.

(1) Prescription medication, including dietary supplements, or individual special medical procedures shall be given, taken, or applied only as prescribed by a licensed physician or dentist. Prescription medication shall be kept in the original pharmacy-supplied container, which shall be labeled for the specified resident in accordance with the requirements of Act No. 368 of the Public Acts of 1978, as amended, being {333.1101 et seq. of the Michigan Compiled Laws, kept with the equipment to administer it in a locked cabinet or drawer, and refrigerated if required.

Resident B did not receive her Acetaminophen CPLT 500MG tablet on 9/3/23 as scheduled per her medication administration record.

### R 400.15403 Maintenance of premises.

(4) A roof, exterior walls, doors, skylights, and windows shall be weathertight and watertight and shall be kept in sound condition and good repair.

The exit door in A-wing hallway needs repair as it did not open during the inspection, which is a fire hazard. Maintenance was notified immediately to address the concern.

#### IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

arthrong Mullin	09/14/2023
Anthony Mullins	Date
Licensing Consultant	