



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
ACTING DIRECTOR

November 13, 2023

Cindy Whaley
Liberty Living Inc.
P O Box 1273
Bay City, MI 48706

RE: License #:	AS090086238 Liberty House 1116 24th Street Bay City, MI 48708
----------------	--

Dear Cindy Whaley:


Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged, authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license and special certification will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 643-7960.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shamidah Wyden".

Shamidah Wyden, Licensing Consultant
Bureau of Community and Health Systems
411 Genesee
P.O. Box 5070
Saginaw, MI 48607
989-395-6853

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AS090086238
Licensee Name:	Liberty Living Inc.
Licensee Address:	P O Box 1273 Bay City, MI 48706
Licensee Telephone #:	(989) 892-0247
Licensee Designee:	Cindy Whaley
Administrator:	Cindy Whaley
Name of Facility:	Liberty House
Facility Address:	1116 24th Street Bay City, MI 48708
Facility Telephone #:	(989) 892-4243
Original Issuance Date:	06/14/1999
Capacity:	6
Program Type:	PHYSICALLY HANDICAPPED DEVELOPMENTALLY DISABLED MENTALLY ILL AGED ALZHEIMERS
Certified Programs:	DEVELOPMENTALLY DISABLED MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/07/2023

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed 1

No. of residents interviewed and/or observed 2

No. of others interviewed 1 Role: Licensee Designee


- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
This inspection was not conducted during mealtime.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
There were no recent incident reports requiring follow-up.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:	
R 400.14318	Emergency preparedness; evacuation plan; emergency transportation.
	(5) A licensee shall practice emergency and evacuation procedures during daytime, evening, and sleeping hours at least once per quarter. A record of the practices shall be maintained and be available for department review.
At the time of inspection, there was no documented 2 nd quarter evening drill for 2023. Also, the total time of evacuation was not noted for drills conducted on 04/02/2022, 02/16/2022, and 01/03/2022.	

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license and issuance of the special certification is recommended.



11/13/2023

Shamidah Wyden
Licensing Consultant

Date