



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
ACTING DIRECTOR

January 25, 2024

Joshua Cheff
Marie Manor AFC, LLC
3017 Fenton Rd.
Flint, MI 48507

RE: License #: AL250388977
Marie Manor
3162 Flushing Rd.
Flint, MI 48504

Dear Joshua Cheff:


Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 643-7960.

Sincerely,

A handwritten signature in cursive script that reads "Sabrina McGowan". The letters are fluid and connected, with a prominent 'S' at the beginning and a 'G' at the end.

Sabrina McGowan, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(810) 835-1019

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AL250388977

Licensee Name: Marie Manor AFC, LLC

Licensee Address: 3162 Flushing Road
Flint, MI 48504

Licensee Telephone #: (810) 441-8415

Licensee/Licensee Designee: Joshua Cheff

Administrator: Joshua Cheff

Name of Facility: Marie Manor

Facility Address: 3162 Flushing Rd.
Flint, MI 48504

Facility Telephone #: (810) 441-8415

Original Issuance Date: 08/06/2019

Capacity: 20

Program Type: PHYSICALLY HANDICAPPED
DEVELOPMENTALLY DISABLED
MENTALLY ILL
AGED
TRAUMATICALLY BRAIN INJURED
ALZHEIMERS

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 01/23/2024

Date of Bureau of Fire Services Inspection if applicable: 11/17/2023

Date of Health Authority Inspection if applicable: 01/23/2024

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 10

No. of others interviewed 1 Role: Licensee

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
No IR's to review.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.15401 Environmental health.

(2) Hot and cold running water that is under pressure shall be provided. A licensee shall maintain the hot water temperature for a resident's use at a range of 105 degrees Fahrenheit to 120 degrees Fahrenheit at the faucet.

Water in several outlets tested above 120 degrees.

R 400.15402 Food service.

(4) All food service equipment and utensils shall be constructed of material that is nontoxic, easily cleaned, and maintained in good repair. All food services equipment and eating and drinking utensils shall be thoroughly cleaned after each use.

Kitchen stove needs cleaning.

R 400.15403 Maintenance of premises.

(2) Home furnishings and housekeeping standards shall present a comfortable, clean, and orderly appearance.

Resident's bedroom hutch contained excessive dust.

R 400.15411 Linens.

(1) A licensee shall provide clean bedding that is in good condition.

The bedding shall include 2 sheets, a pillow case, a minimum of 1 blanket, and a bedspread for each bed. Bed linens shall be changed and laundered at least once a week or more often if soiled.

Resident bedding was observed stained.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

Sabrina McGowan

January 25, 2024

Sabrina McGowan
Licensing Consultant

Date