



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

MARLON I. BROWN, DPA  
ACTING DIRECTOR

November 17, 2023

Joslyn Whitty  
1271 New Jersey  
Marysville, MI 48040

RE: License #:	AF740372374 Joslyn Home 1271 New Jersey Marysville, MI 48040
----------------	---

Dear Joslyn Whitty:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged, authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license and special certification will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 643-7960.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shamidah Wyden".

Shamidah Wyden, Licensing Consultant  
Bureau of Community and Health Systems  
411 Genesee  
P.O. Box 5070  
Saginaw, MI 48607  
989-395-6853

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	AF740372374
<b>Licensee Name:</b>	Joslyn Whitty
<b>Licensee Address:</b>	1271 New Jersey Maryville, MI 48040
<b>Licensee Telephone #:</b>	(810) 357-5492
<b>Licensee:</b>	Joslyn Whitty
<b>Administrator:</b>	N/A
<b>Name of Facility:</b>	Joslyn Home
<b>Facility Address:</b>	1271 New Jersey Marysville, MI 48040
<b>Facility Telephone #:</b>	(810) 357-5492
<b>Original Issuance Date:</b>	06/05/2015
<b>Capacity:</b>	6
<b>Program Type:</b>	DEVELOPMENTALLY DISABLED MENTALLY ILL
<b>Certified Programs:</b>	DEVELOPMENTALLY DISABLED MENTALLY ILL

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/16/2023

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed 1

No. of residents interviewed and/or observed 0

No. of others interviewed [redacted] Role: [redacted]


- Medication pass / simulated pass observed? Yes  No  If no, explain.
- Medication(s) and medication record(s) reviewed? Yes  No  If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes  No  If no, explain.
- Meal preparation / service observed? Yes  No  If no, explain.  
This inspection was not conducted during a mealtime. Residents were at program.
- Fire drills reviewed? Yes  No  If no, explain.
- Fire safety equipment and practices observed? Yes  No  If no, explain.
- E-scores reviewed? (Special Certification Only) Yes  No  N/A   
If no, explain.
- Water temperatures checked? Yes  No  If no, explain.
- Incident report follow-up? Yes  No  If no, explain.  
There were no recent incident reports requiring follow-up.
- Corrective action plan compliance verified? Yes  CAP date/s and rule/s:  
12/08/2021, R405(3) N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes  (please explain) No  N/A

**III. DESCRIPTION OF FINDINGS & CONCLUSIONS**

This facility was found to be in non-compliance with the following rules:	
<b>R 330.1803</b>	<b>Facility environment; fire safety.</b>
	<b>(3) A facility that has a capacity of 4 or more clients shall conduct and document fire drills at least once during daytime, evening, and sleeping hours during every 3-month period.</b>
At the time of inspection, there was no documented fourth quarter evening drill for 2022, and no documented sleeping hour drill for third quarter 2022.	

**IV. RECOMMENDATION**

Contingent upon receipt of an acceptable corrective action plan, renewal of the license and issuance of the special certification is recommended.



11/17/2023

---

Shamidah Wyden  
Licensing Consultant

Date