



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

MARLON I. BROWN, DPA  
DIRECTOR

September 10, 2024

Frida Boyd  
Suji Home LLC  
PO Box 20006  
Kalamazoo, MI 49019

RE: License #: AS390418046  
**Suji Home 7**  
**3716 E G Avenue**  
**Kalamazoo, MI 49004**

Dear Frida Boyd:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- You are to submit documentation of compliance.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Ondrea Johnson".

Ondrea Johnson, Licensing Consultant  
Bureau of Community and Health Systems

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	AS390418046
<b>Licensee Name:</b>	Suji Home LLC
<b>Licensee Address:</b>	PO Box 20006 Kalamazoo, MI 49019
<b>Licensee Telephone #:</b>	(269) 207-5965
<b>Licensee/Licensee Designee:</b>	Frida Boyd, Designee
<b>Administrator:</b>	Jackline Andrew
<b>Name of Facility:</b>	Suji Home 7
<b>Facility Address:</b>	3716 E G Avenue Kalamazoo, MI 49004
<b>Facility Telephone #:</b>	(269) 207-5965
<b>Original Issuance Date:</b>	03/13/2024
<b>Capacity:</b>	6
<b>Program Type:</b>	PHYSICALLY HANDICAPPED AGED

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/03/2024

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 1

No. of others interviewed 0 Role: 0

- Medication pass / simulated pass observed? Yes ☒ No ☐ If no, explain.
- Medication(s) and medication record(s) reviewed? Yes ☒ No ☐ If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes ☒ No ☐ If no, explain.
- Meal preparation / service observed? Yes ☒ No ☐ If no, explain.
- Fire drills reviewed? Yes ☒ No ☐ If no, explain.
- Fire safety equipment and practices observed? Yes ☒ No ☐ If no, explain.
- E-scores reviewed? (Special Certification Only) Yes ☐ No ☐ N/A ☒  
If no, explain.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
- Incident report follow-up? Yes ☒ No ☐ If no, explain.
- Corrective action plan compliance verified? Yes ☐ CAP date/s and rule/s:  
N/A ☒
- Number of excluded employees followed-up? N/A ☒
- Variances? Yes ☐ (please explain) No ☐ N/A ☒

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

**R 400.14205      Health of a licensee, direct care staff, administrator, other employees, those volunteers under the direction of the licensee, and members of the household.**

**(5) A licensee shall obtain written evidence, which shall be available for department review, that each direct care staff, other employees, and members of the household have been tested for communicable tuberculosis and that if the disease is present, appropriate precautions shall be taken as required by state law. Current testing shall be obtained before an individual's employment, assumption of duties, or occupancy in the home. The results of subsequent testing shall be verified every 3 years thereafter or more frequently if necessary.**

FINDINGS: Current TB test results for administrator Jackline Andrew not available for the department to review.

A corrective action plan was requested and approved on 09/10/2024. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

### IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



Ondrea Johnson  
Licensing Consultant

9/10/2024  
Date