



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

May 2, 2025

Nichole VanNiman
Beacon Specialized Living Services, Inc.
Suite 110
890 N. 10th St.
Kalamazoo, MI 49009

RE: License #: AS390413020
Beacon Home At Miller
10752 Miller Dr.
Galesburg, MI 49053

Dear Ms. VanNiman:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- You are to submit documentation of compliance.

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 335-5985.

Sincerely,

Ondrea Johnson, Licensing Consultant
Bureau of Community and Health Systems

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AS390413020
Licensee Name:	Beacon Specialized Living Services, Inc.
Licensee Address:	Suite 110 890 N. 10th St. Kalamazoo, MI 49009
Licensee Telephone #:	(269) 427-8400
Licensee/Licensee Designee:	Nichole VanNiman
Administrator:	Aubry Napier
Name of Facility:	Beacon Home At Miller
Facility Address:	10752 Miller Dr. Galesburg, MI 49053
Facility Telephone #:	(269) 427-8400
Original Issuance Date:	10/31/2022
Capacity:	6
Program Type:	DEVELOPMENTALLY DISABLED MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/16/2025

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: 1/22/2025

No. of staff interviewed and/or observed 4

No. of residents interviewed and/or observed 4

No. of others interviewed 0 Role: 0

- Medication pass / simulated pass observed? Yes ☒ No ☐ If no, explain.
- Medication(s) and medication record(s) reviewed? Yes ☒ No ☐ If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes ☒ No ☐ If no, explain.
- Meal preparation / service observed? Yes ☒ No ☐ If no, explain.
- Fire drills reviewed? Yes ☒ No ☐ If no, explain.
- Fire safety equipment and practices observed? Yes ☒ No ☐ If no, explain.
- E-scores reviewed? (Special Certification Only) Yes ☒ No ☐ N/A ☐ If no, explain.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
- Incident report follow-up? Yes ☒ No ☐ If no, explain.
- Corrective action plan compliance verified? Yes ☐ CAP date/s and rule/s: N/A ☒
- Number of excluded employees followed-up? N/A ☒
- Variances? Yes ☐ (please explain) No ☐ N/A ☒

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14301 Resident admission criteria; resident assessment plan; emergency admission; resident care agreement; physician's instructions; health care appraisal.

(4) At the time of admission, and at least annually, a written assessment plan shall be completed with the resident or the resident's designated representative, the responsible agency, if applicable, and the licensee. A licensee shall maintain a copy of the resident's written assessment plan on file in the home.

FINDINGS: Assessment plan for Resident A did not have licensee designee's signature to verify that assessment plan was reviewed at least annually.

R 400.14403 Maintenance of premises.

(1) A home shall be constructed, arranged, and maintained to provide adequately for the health, safety, and well-being of occupants.

FINDINGS: Resident bathroom toilet and shower floor is stained and does not have a clean appearance. Refrigerator in lower level of the home is not clean.

A corrective action plan was requested and approved on 04/30/2025. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



Ondrea Johnson
Licensing Consultant

05/02/2025
Date