



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

July 8, 2025

Sherman Taylor
Taylor's Special Care Services, Inc.
Ste 210
23800 West Ten Mile Rd
Southfield, MI 48034

RE: License #: AS630405301
Winchester Home
21001 Winchester Street
Southfield, MI 48076

Dear Mr. Taylor:

Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee.
-

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (248) 972-9136.

Sincerely,

A handwritten signature in cursive script that reads "Sara E. Shaughnessy". The signature is written in a dark ink and is positioned below the word "Sincerely,".

Sara Shaughnessy, Licensing Consultant
Bureau of Community and Health Systems
4th Floor, Suite 4B
51111 Woodward Avenue
Pontiac, MI 48342
(248) 320-3721

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License#: AS630405301

Licensee Name: Taylor's Special Care Services, Inc.

Licensee Address: Ste 210
23800 West Ten Mile Rd
Southfield, MI 48034

Licensee Telephone #: (248) 350-0357

Licensee/Licensee Designee: Sherman Taylor

Administrator: Sherman Taylor

Name of Facility: Winchester Home

Facility Address: 21001 Winchester Street
Southfield, MI 48076

Facility Telephone #: (248) 350-0357

Original Issuance Date: 01/26/2021

Capacity: 6

Program Type: DEVELOPMENTALLY DISABLED
MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/26/2025

Date of Bureau of Fire Services Inspection if applicable: NA

Date of Health Authority Inspection if applicable: NA

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 3

No. of others interviewed 0 Role: [REDACTED]

- Medication pass / simulated pass observed? Yes No If no, explain.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident? Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
The onsite inspection did not take place during a mealtime, an adequate food supply was observed.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
07/07/2023; R 400.14203 N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:	
R 400.14312	Resident medications.
	(1) Prescription medication, including dietary supplements, or individual special medical procedures shall be given, taken, or applied only as prescribed by a licensed physician or dentist. Prescription medication shall be kept in the original pharmacy-supplied container, which shall be labeled for the specified resident in accordance with the requirements of Act No. 368 of the Public Acts of 1978, as amended, being S333.1101 et seq. of the Michigan Compiled Laws, kept with the equipment to administer it in a locked cabinet or drawer, and refrigerated if required.
During the onsite inspection, pre-filled insulin pens were observed in the refrigerator and were not locked in the lockbox observed in the refrigerator.	
R 400.14406	Room temperature.
	All resident-occupied rooms of a home shall be heated at a temperature range between 68 and 72 degrees Fahrenheit during non-sleeping hours. Precautions shall be taken to prevent prolonged resident exposure to stale, noncirculating air that is at a temperature of 90 degrees Fahrenheit or above. Variations from the requirements of this rule shall be based upon a resident's health care appraisal and shall be addressed in the resident's written assessment plan. The resident care agreement shall address the resident's preferences for variations from the temperatures and requirements specified in this rule.

At the time of the onsite inspection, the air conditioning was not working and the thermostat on the first level read 81 degrees, the residents sleep upstairs, and that level was significantly warmer than the first level.	
R 400.14503	Interior finishes and materials generally.
	(1) Interior finish materials shall be at least class C materials throughout the adult foster care small group home.
The basement of the home has wood paneling on at least two of the walls. There is no documentation that the materials have been inspected and are at least Class C materials.	

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.



07/08/2025

Sara Shaughnessy
Licensing Consultant

Date