



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

September 4, 2025

Zad White
Blithesome Home Inc.
P.O.Box 2409
Southfield, MI 48037

RE: License #: AS820013813
Rosedale Residence
14922 Minock
Detroit, MI 48223

Dear Mr White:


Attached is the Renewal Licensing Study Report for the facility referenced above. The violations cited in the report require the submission of a written corrective action plan. The corrective action plan is due 15 days from the date of this letter and must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific dates for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the licensee or licensee designee or home for the aged authorized representative and a date.

Upon receipt of an acceptable corrective plan, a regular license will be issued. If you fail to submit an acceptable corrective action plan, disciplinary action will result.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0439.

Sincerely,

A handwritten signature in black ink that reads "LaKeitha Stevens". The first letter "L" is large and stylized, and the name "Stevens" is written in a cursive script.

LaKeitha Stevens, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(313) 949-3055

611 W. OTTAWA • P.O. BOX 30664 • LANSING, MICHIGAN 48909
www.michigan.gov/lara • 517-335-1980

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #: AS820013813

Licensee Name: Blithesome Home Inc.

Licensee Address: P.O.Box 2409
Southfield, MI 48037

Licensee Telephone #: (248) 670-9787

Licensee/Licensee Designee: Zad White

Administrator:

Name of Facility: Rosedale Residence

Facility Address: 14922 Minock
Detroit, MI 48223

Facility Telephone #: (313) 592-1261

Original Issuance Date: 09/14/1984

Capacity: 6

Program Type: MENTALLY ILL

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/03/2025

Date of Bureau of Fire Services Inspection if applicable:

Date of Environmental/Health Inspection if applicable:

No. of staff interviewed and/or observed 2

No. of residents interviewed and/or observed 3

No. of others interviewed N/A Role: [REDACTED]

- Medication pass / simulated pass observed? Yes No If no, explain.
A worksheet inspection was completed.
- Medication(s) and medication record(s) reviewed? Yes No If no, explain.
- Resident funds and associated documents reviewed for at least one resident?
Yes No If no, explain.
- Meal preparation / service observed? Yes No If no, explain.
A full worksheet inspection was completed.
- Fire drills reviewed? Yes No If no, explain.
- Fire safety equipment and practices observed? Yes No If no, explain.
- E-scores reviewed? (Special Certification Only) Yes No N/A
If no, explain.
- Water temperatures checked? Yes No If no, explain.
- Incident report follow-up? Yes No If no, explain.
N/A
- Corrective action plan compliance verified? Yes CAP date/s and rule/s:
LSR dated 09/18/2023, Rules: 301(10), 301(3) N/A
- Number of excluded employees followed-up? N/A
- Variances? Yes (please explain) No N/A

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.14312 Resident medications.

(4) When a licensee, administrator, or direct care staff member supervises the taking of medication by a resident, he or she shall comply with all of the following provisions:

(b) Complete an individual medication log that contains all of the following information:

(i) The medication.

(ii) The dosage.

(iii) Label instructions for use.

(iv) Time to be administered.

(v) The initials of the person who administers the medication, which shall be entered at the time the medication is given.

(vi) A resident's refusal to accept prescribed medication or procedures.

At the time of inspection Resident Levothroxine Sodium and Olanzapine were not initialed as administered on 08/31/2025.

R 400.14401 Environmental health.

(2) Hot and cold running water that is under pressure shall be provided. A licensee shall maintain the hot water temperature for a resident's use at a range of 105 degrees Fahrenheit to 120 degrees Fahrenheit at the faucet.

At the time of inspection, the water temperature was 138 degrees.


R 400.14507 Means of egress generally.

(5) A door that forms a part of a required means of egress shall be not less than 30 inches wide and shall be equipped with positive-latching, non-locking-against-egress hardware.

At the time of inspection, the front screen door was equipped with locking against egress hardware.

IV. RECOMMENDATION

Contingent upon receipt of an acceptable corrective action plan, renewal of the license is recommended.

Handwritten signature of LaKeitha Stevens in black ink.

09/04/2025

LaKeitha Stevens
Licensing Consultant

Date