



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
DIRECTOR

August 13, 2026

Abdulaziz Issa
Transmed Mobility LLC
2900 Golfside Rd., Suite 6
Ann Arbor, MI 48108

RE: License #: AS810388893
Transmed Care
57 Edison Ave.
Ypsilanti, MI 48197

Dear Abdulaziz Issa:

Attached is the Renewal Licensing Study Report for the facility referenced above. You have submitted an acceptable written corrective action plan addressing the violations cited in the report. To verify your implementation and compliance with this corrective action plan:

- An on-site inspection will be conducted. (Next renewal inspection)

The study has determined substantial compliance with applicable licensing statutes and administrative rules. Therefore, your license is renewed. It is valid only at your present address and is nontransferable.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (313) 456-0380.

Sincerely,

A handwritten signature in black ink that reads "Vanita Bouldin".

Vanita C. Bouldin, Licensing Consultant
Bureau of Community and Health Systems
22 Center Street
Ypsilanti, MI 48198
(734) 395-4037

611 W. OTTAWA • P.O. BOX 30664 • LANSING, MICHIGAN 48909
www.michigan.gov/lara • 517-335-1980

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	AS810388893
Licensee Name:	Transmed Mobility LLC
Licensee Address:	Suite 6 2900 Golfside Rd Ann Arbor, MI 48108
Licensee Telephone #:	(734) 883-8544
Licensee/Licensee Designee:	Abdulaziz Issa
Administrator:	Abdulaziz Issa
Name of Facility:	Transmed Care
Facility Address:	57 Edison Ave. Ypsilanti, MI 48197
Facility Telephone #:	(734) 547-5352
Original Issuance Date:	03/08/2018
Capacity:	5
Program Type:	PHYSICALLY HANDICAPPED AGED TRAUMATICALLY BRAIN INJURED

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/12/2026

Date of Bureau of Fire Services Inspection if applicable: N/A

Date of Health Authority Inspection if applicable: N/A

No. of staff interviewed and/or observed

1

No. of residents interviewed and/or observed

1

No. of others interviewed

Role:

- Medication pass / simulated pass observed? Yes ☐ No ☒ If no, explain.
Paperwork review renewal only.
- Medication(s) and medication record(s) reviewed? Yes ☒ No ☐ If no, explain.
- Resident funds and associated documents reviewed for at least one resident?
Yes ☐ No ☐ If no, explain.
- Meal preparation / service observed? Yes ☐ No ☒ If no, explain.
Paperwork review renewal only.
- Fire drills reviewed? Yes ☒ No ☐ If no, explain.
- Fire safety equipment and practices observed? Yes ☒ No ☐ If no, explain.
- E-scores reviewed? (Special Certification Only) Yes ☐ No ☐ N/A ☒
If no, explain.
- Water temperatures checked? Yes ☒ No ☐ If no, explain.
- Incident report follow-up? Yes ☐ No ☒ If no, explain.
- Corrective action plan compliance verified? Yes ☒ CAP date/s and rule/s:
08/14/2024, 400.14306 N/A ☐
- Number of excluded employees followed-up? N/A ☒
- Variances? Yes ☐ (please explain) No ☐ N/A ☒

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This facility was found to be in non-compliance with the following rules:

R 400.631

Health screenings.

(5) A licensee shall maintain documentation of a baseline screening for communicable diseases and records of illness on hiring. Staff who have direct physical contact with residents or resident food may perform those duties only when they are noninfectious or when proper precautions are taken to prevent the spread of a communicable disease. A licensee shall follow a staff's health care professional or local health department guidance on controlling the spread of a communicable disease when identified.

Staff member, Y. Hastie, did not have initial TB test in her employee file.

A corrective action plan was requested and approved on 08/12/2026. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

An acceptable corrective action plan has been received. Renewal of the license is recommended.



Vanita C. Bouldin
Licensing Consultant

Date: 08/13/2026